



Connectors > Connector Accessories > Connector Seals & Cavity Plugs > DEUTSCH Sealing Plugs



Connector Seal & Plug Type: **Keying Plug**
Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**
Primary Product Color: **White**
Primary Product Material: **PBT GF30**
Operating Temperature (Max): **125 °C [257 °F]**

[All DEUTSCH Sealing Plugs \(10\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Keying Plug
----------------------------	-------------

Body Features

Primary Product Color	White
Primary Product Material	PBT GF30

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
Packaging Quantity	20000

Other

Contains Lubricant	No
--------------------	----

Product Compliance






For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # DTV02-18PC-C032 REC, 18P, GRN, N, FLANGE, 7-12 BLOCK, C	 TE Part # DTV06-18SD-C032 PLG, 18P, BRN, N, 7-12 BLOCKED, D	 TE Part # CAT-D487-CH8172 DEUTSCH DT Series Housings & Connectors	 TE Part # CAT-J41-DDCC DEUTSCH DT Color Connectors
 TE Part # DTV02-18PC-P055 REC, 18P, GRN, N, FLANGE, NO INSERTS, C	 TE Part # DTV06-18SB-C032 PLG, 18P, BLK, N, 7-12 BLOCKED, B	 TE Part # AEC16-40SDE PLG, 40P, BLK, E, D	 TE Part # AEC16-40SCT PLG, 40P, BLK, T, C



	TE Part # DTV02-18PA REC, 18P, GRY, N, FLANGE, A	TE Part # DTV02-18PB-C032 REC, 18P, BLK, N, FLANGE, 7-12 BLOCK, B	
			TE Part # DTV02-18PB-P055 REC, 18P, BLK, N, FLANGE, NO INSERTS, B

Also in the Series |

DEUTSCH HD30

Automotive Connector Caps & Covers (26)	Automotive Housings(768)	Connector Seals & Cavity Plugs(10)	Connector Strain Relief(5)
Insertion & Extraction Tools(11)	Other Automotive Connector Accessories(17)		

Also in the Series |

DEUTSCH HD



Automotive Headers(1)



Automotive Housings(768)



Connector Seals & Cavity Plugs(10)




Connector Strain Relief(5)




Insertion & Extraction Tools(11)



Other Automotive Connector Accessories(17)




PCB Headers & Receptacles(1)



Wire-to-Board Headers & Receptacles (1)

Customers Also Bought



TE Part #TAX38225102-002
RPC-M12X-MR-8CON-PUR-1.0SH



TE Part #879268-000
222K132-25/86-0



TE Part #SRN21
SEAL RING, CONDUIT ADAPTER, NW22



TE Part #HDC14-3
DUST CAP



TE Part #HDP26-24-21PE-L015
PLG, 21P, BLK, E, THD, 12/16, P



TE Part #0413-217-1605
SEALING PLUG, SIZE 16, LOCKING, WHT



TE Part #HD34-24-35SN-072
REC, 35P, AL, N, THD ADPT DRAIN, 16 /20,S



TE Part #CN21
CAP NUT, CONDUIT ADAPTER, NW22



TE Part #DRC16-24SA-P013
PLG, 24P, BLK, N, SEAL BOND, A



TE Part #4-653846-7
DRAHTCRIMPER

Documents



Product Drawings

SEALING PLUG, SIZE 16, KEYING, WHT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_0413-215-1605_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_0413-215-1605_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_0413-215-1605_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

DEUTSCH HD30 & HDP20 CONNECTOR SERIES

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English