



Terminals & Splices > Automotive Terminals > DEUTSCH Solid Contacts



Terminal Type: **Pin**
Wire Size: **14 AWG**
Interface Plating: **Nickel (Ni)**
Primary Locking Feature: **Clean Body**

[All DEUTSCH Solid Contacts \(46\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Clean Body
Sealable	No

Contact Features

Typical Current Rating	13 A
Crimp Type	Indent Crimp
Contact Size	Size 16
Contact Fabrication	Solid
Wire Contact Termination Area Plating Material	Nickel
Terminal Type	Pin
Interface Plating	Nickel (Ni)
Mating Pin Diameter	1.5 mm[.062 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	14 AWG
-----------	--------



Wire Size Search	2 mm²
Tab Length	20.57 mm[.81 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Carrier
Packaging Quantity	2500

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (1% in 4714330867) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-D48-ST273 DEUTSCH Solid Contacts	 TE Part # 2375997-2 DT04-08PB-P093,REC,8P BLK,BUSBAR G,4X2,B	 TE Part # CAT-J41-DDRC DEUTSCH DT Receptacle Connectors	 TE Part # DTV02-18PA-P055 REC, 18P, GRY, N, FLANGE, NO INSERTS, A
 TE Part # DTV02-18PD-C015 REC, 18P, BRN, E, FLANGE, D	 TE Part # AEC14-40PC REC, 40P, BLK, N, C	 TE Part # 400-4301-16S SZ 16 LOCATOR	 TE Part # CAT-H3910-CH8172 DEUTSCH HD10 Housings
 TE Part # DTV02-18PD REC, 18P, BRN, N, FLANGE, D	 TE Part # 400-414DA-16N048 SZ 16 DIE ASM	 TE Part # 2286003-3 2POS. DT. REC HSG. ASSY. SEALED	 TE Part # HDP24-24-21PE-9974 REC, 21P, BLK, E, 12/16, P
 TE Part # DTV02-18PC-C032 REC, 18P, GRN, N, FLANGE, 7-12 BLOCK, C	 TE Part # CAT-D487-CH8172 DEUTSCH DT Series Housings & Connectors	 TE Part # CAT-J41-DDCC DEUTSCH DT Color Connectors	 TE Part # CAT-J67-DSCC16 DEUTSCH Size 16 Crimp Contacts



TE Part # DTV02-18PC-P055
REC, 18P, GRN, N, FLANGE, NO INSERTS, C

TE Part # DTV02-18PA
REC, 18P, GRY, N, FLANGE, A

TE Part # DTV02-18PB-C032
REC, 18P, BLK, N, FLANGE, 7-12 BLOCK, B

TE Part # 450GA-16N
GA-16N048 GAUGE SZ16 GO-NO-GO HDP-400

Also in the Series | **DEUTSCH Common Contact**

Automotive Terminals(127)

Insertion & Extraction Tools(8)

Customers Also Bought

TE Part #CAT-D48-ST273
DEUTSCH Solid Contacts

TE Part #DT04-2P
REC, 2P, GRY, N

TE Part #DT06-2S
PLG, 2P, GRY, N

TE Part #CAT-D487-W416
Wedgelocks: DEUTSCH DT

Documents

Product Drawings

PIN, SOLID, SIZE 16, 14AWG, NI

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_0460-215-16141_99_c-0460-215-16141-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_0460-215-16141_99_c-0460-215-16141-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_0460-215-16141_99_c-0460-215-16141-99.3d_stp.zip

0460-215-16141

Pin Terminal, 14 AWG, 2 mm² Wire, Nickel (Ni), 1.5 mm [.062 in] Pin Diameter,
Terminates To Wire, 20.57 mm [.81 in] Tab Length, DEUTSCH Common Contact



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
DEUTSCH HD30 & HDP20 CONNECTOR SERIES

English
CONNECTOR SELECTOR

English

Product Specifications
Engineering Report

English