




Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories



Primary Product Color: **Black**

Primary Product Material: **PA 66 GF**

Automotive Connector Accessory Type: **Lever**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

Features

Product Type Features

Automotive Connector Accessory Type	Lever
-------------------------------------	-------

Body Features

Primary Product Color	Black
Primary Product Material	PA 66 GF

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Industry Standards

Compatible With Agency/Standards Products	LV214
UL Flammability Rating	UL 94HB

Packaging Features

Packaging Method	Carton
Packaging Quantity	504

Other

Serviceable	Yes
-------------	-----



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1394872-1  
SEALING PLUG 1,5MM



TE Part # CAT-M8793-CH8172  
MQS, CONNECTOR HOUSING

Customers Also Bought



TE Part #1-1355132-2  
SHIELD, 94POSN., RECEPTACLE HO



TE Part #3-1355136-3  
MQS1,5AUFNAHMGEH94P



TE Part #1-1355135-1  
RETAINER 94P



TE Part #2-1355132-1  
COVER 94POS



TE Part #9-2208798-5  
6POS,0.64 GENER. Y,REC HSG,ASSY




TE Part #2098634-1  
Carrier, 20P, GY LAC, Black



TE Part #1394871-1  
MQS DICHTSTOPFEN



TE Part #1563200-1  
COVER,90,53 WAY PCM CONN



TE Part #2237010-1  
ANTENNA CABLE-ACTIVE-FAKRA-LHD



TE Part #2050786-4  
Ford T6 Body Driver Seatbelt Cable

Documents

Product Drawings  
HEBEL F.AUFNAHM-GEH

English

CAD Files  
Customer View Model  
ENG\_CVM\_CVM\_1-1355133-1\_B.2d\_dxf.zip

English

3D PDF  
3D  
Customer View Model  
ENG\_CVM\_CVM\_1-1355133-1\_B.3d\_igs.zip

English

Customer View Model  
ENG\_CVM\_CVM\_1-1355133-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

1-1355133-1

Black, PA 66 GF, Lever, -40 – 120 °C [-40 – 248 °F]



Product Specification

English