

FSK-11A-20

✓ ACTIVE

TE Internal #: 1-1437204-9  
20 Position, 1.27 mm [.05 in] Centerline, Power & Signal, -40 – 150 °C [-40 – 302 °F]  
[View on TE.com >](#)



Connectors > PCB Connectors > Board-to-Board Connectors > Board-to-Board Jumpers & Shunts



Number of Positions: 20  
Centerline (Pitch): 1.27 mm [.05 in]  
Contact Current Rating (Max): 1.6 A  
Circuit Application: Power & Signal  
Operating Temperature Range: -40 – 150 °C [-40 – 302 °F]

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board

Configuration Features

Number of Positions	20
---------------------	----

Contact Features

Contact Current Rating (Max)	1.6 A
------------------------------	-------

Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features

Centerline (Pitch)	1.27 mm[.05 in]
--------------------	-----------------

Usage Conditions

Operating Temperature Range	-40 – 150 °C[-40 – 302 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------



Industry Standards

UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1437221-4  
FSK-11A



TE Part # 7-1437188-2  
FST-23A-14




TE Part # 7-1437188-0  
FST-23A-12V6



TE Part # 5-1437195-8  
FST-23A





TE Part # 3-1437204-2  
[FSK-11A-40](#)

Customers Also Bought




TE Part #3-1622820-1  
[3520 2K2 5%](#)



TE Part #8-1879125-7  
[RN 0402 100R 0.1% 10PPM 5K RL](#)



TE Part #7-2176362-8  
[RQ 0402 255R 0.1% 10PPM 5K RL](#)



TE Part #786585-2  
[50SR SCREWLOCK KIT,FEMALE](#)



TE Part #2-6474640-6  
[FSN-11A-15](#)



TE Part #208223-9  
[CPC RECPT ASSEMBLY SIZE 13-9](#)




TE Part #5786554-9  
[100 50SR VRT RCPT,L,R,ACT PIN](#)



TE Part #5273550001  
[TMS-SCE-3/16-2.0-9](#)



TE Part #1-1571983-4  
[GDH10STR04=DIP SWITCH](#)



TE Part #2-5174339-5  
[AMPLIMITE CAP HEADER](#)

Documents

Product Drawings

[FSK-11A-20](#)

English

Agency Approvals

[UL Report](#)

English