## 1-1564416-1 ACTIVE

## AMP | Heavy Duty Sealed Connector Series

TE Internal #: 1-1564416-1

8 Position Housing, Housing for Male Terminals, Wire-to-Wire, 4 mm [.157 in] Centerline, Sealable, Black, Heavy Duty Sealed

Connector Series

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > Heavy Duty Sealed Connector Series Housings



Number of Positions: 8

Connector & Housing Type: Housing for Male Terminals

Mating Tab Width: 1.6 mm [.063 in]

Connector System: Wire-to-Wire

Centerline (Pitch): 4 mm [.157 in]

All Heavy Duty Sealed Connector Series Housings (177)

## **Features**

### **Product Type Features**

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Primary Locking Feature	On the Terminal
Connector & Contact Terminates To	Wire & Cable

## **Configuration Features**

Number of Positions	8
Number of Rows	2

### **Electrical Characteristics**

Operating Voltage	60 VDC
Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V

## **Body Features**

Cable Exit Angle	180°, 90°
Primary Product Color	Black



Connector & Keying Code	A
Contact Features	
Contact Size	1.6mm
Contact Type	Tab
Mating Tab Width	1.6 mm[.063 in]
Contact Current Rating (Max)	10 A
Mechanical Attachment	
Terminal Position Assurance	No
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF30
Centerline (Pitch)	4 mm[.157 in]
Dimensions	
Row-to-Row Spacing	6.9 mm[.272 in]
Product Width	47.05 mm[1.852 in]
Product Length	42.5 mm[1.673 in]
Connector Height	39.8 mm[1.567 in]
Usage Conditions	
Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
IP Rating	IP67
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	250
Packaging Method	Carton
Other	



Serviceable	Yes
Connector Position Assurance Capable	No

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**













TE Part # 2112293-1
PROTECTION CAP,GROUP C,ASSY



TE Part # 1-1418479-1 8POS,AMP MCP1.5K,REC. HSG,CODA









## Also in the Series | Heavy Duty Sealed Connector Series



Automotive Connector Caps & Covers (25)



Automotive Headers(1



Automotive Housings(215)



Connector Seals & Cavity Plugs(5)




Data Connectivity Headers(2)




Data Connectivity Housings(16)



Other Automotive Connector Accessories(36)



PCB Headers & Receptacles(1)



# Customers Also Bought





TE Part #0418834001 LSTT-1.6-0-SP



TE Part #CAT-H3399-CH8172
Heavy Duty Sealed Connector Series
Housings



TE Part #1-1563759-1 18POS,AMP MCP1.5K,REC HSG,ASSY











TE Part #ER34172001 DWHF-3/1-0-STK



### **Documents**

## **Product Drawings**

8POS,TAB 1.6X0.6,TAB HSG,ASSY

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1-1564416-1\_H.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-1564416-1\_H.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1564416-1\_H.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

Heavy Duty Sealed Connector Series

English

**HDSCS Catalog** 

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

8 Position Housing, Housing for Male Terminals, Wire-to-Wire, 4 mm [.157 in] Centerline, Sealable, Black, Heavy Duty Sealed Connector Series



Product Specifications

Application Specification

English