



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Interface Seal**
Operating Temperature Range: **-40 – 90 °C [-40 – 194 °F]**
Primary Product Material: **Urethane Foam**
Operating Temperature (Max): **90 °C [194 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Interface Seal
----------------------------	----------------

Body Features

Primary Product Material	Urethane Foam
--------------------------	---------------

Usage Conditions

Operating Temperature Range	-40 – 90 °C[-40 – 194 °F]
Operating Temperature (Max)	90 °C[194 °F]

Packaging Features

Packaging Method	Package
Packaging Quantity	1000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 794370-1 08P MINI UMNL STR RELIEF HNGD	 TE Part # 1-1586359-6 16P MINIUMNL GANG WIRE SEAL DR	 TE Part # 1586404-1 16P MINI UMNL CAP HSG SEALED	 TE Part # 794824-1 16P MINI UMNL PLUG HSG
---	--	---	--

Also in the Series | Mini-Universal MATE-N-LOK


 Connector Caps & Covers(2)	 Connector Contacts(89)	 Connector Hardware(4)	 Connector Seals & Cavity Plugs(17)
---	--	--	---



Connector Strain Relief(2)




Insertion & Extraction Tools(1)



PCB Headers & Receptacles(93)




Rectangular Power Connectors(196)



Wire-to-Board Headers & Receptacles (93)


Customers Also Bought



TE Part #5-160431-2
187 FASTON REC 16-14 AWG TPBR



TE Part #794407-1
MINI UNML SCKT 20-16 AWG SN




TE Part #796096-2
SLD CPC RCPT ASY,11-4,STD SEX




TE Part #1-770858-1
10P MINI UMNL HDR ASSY AU LF



TE Part #881507-5
FF 110 REC 0.5-1.5 MM2 0.25 X 12.3 PTPBR



TE Part #5-1437720-6
T01-CRIMP-S03




TE Part #1-794073-1
08P MINI UMNL HDR W/O DH AU LF



TE Part #184392-1
2X2 PLG ASY, KEY A, W/O CPA C3



TE Part #5053082028
RNF-100-3/16-9-STK



TE Part #2267473-3
SIZE 23 PERIPHERAL SEAL, CPC

Documents



Product Drawings

16P MINI UMNL SEAL,DIE CUT

English

CAD Files

Customer View Model

ENG_CVM_1-1586362-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_1-1586362-6_A.3d_stp.zip

English

Customer View Model

ENG_CVM_1-1586362-6_A.2d_dxf.zip

English

3D PDF

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1586362-6_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1586362-6_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1586362-6_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Specifications

Application Specification

English

Agency Approvals

CSA Certificate

English