

IHV

TE Internal #: 1-2071429-2

General Purpose Contactor, DC, 1 Form A SPST-NO, 350 A Contact

Rating, 24 VDC Coil Voltage, 2.6 W Coil Power, Hermetically

Sealed, 85 °C, IHV

View on TE.com >



Relays & Contactors > Electromechanical Relays











Relay & Contactor Type: General Purpose Contactor

Current Type: DC

Contact Arrangement: 1 Form A SPST-NO

Contact Current Rating: **350** A
Coil Voltage Rating: **24 VDC**

Features

Product Type Features

Relay & Contactor Type	General Purpose Contactor
Configuration Features	
Auxiliary Switch Contact Arrangement	1 Form A, SPST-NO
Contact Number of Poles	3
Contact Arrangement	1 Form A SPST-NO
Electrical Characteristics	
Contact Switching Voltage (Max)	1800 VDC
Contact Current Rating	350 A
Coil Voltage Rating	24 VDC
Coil Power Rating DC	2.6 W
Body Features	
Enclosure Type	Hermetically Sealed



Contact Material	Copper
Termination Features	
Auxiliary Termination & Connection Type	Wire Connector
Main Termination & Connection Type	M6 Female
Coil Termination & Connection Type	Quick Connect Terminals
Mechanical Attachment	
Torque (Main)	98 in-lbs
Product Mounting Feature Type	Mounting Plate, Screw
Dimensions	
Product Width	55.5 mm
Product Length	69.8 mm
Product Height	101.6 mm
Usage Conditions	
Environmental Ambient Temperature (Max)	85 °C
Operation/Application	
Current Type	DC
Packaging Features	
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series

Customers Also Bought

























Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2071429-2_A2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2071429-2_A2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2071429-2_A2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

IHV350 SERIES CONTACTOR

English

Agency Approvals

UL

English

UL

English