

Holsworthy | Holsworthy UPF

TE Internal #: 1-2176163-1

2K ohm, Through-Hole Precision Resistor, Metal Film, .5 W, .1 %, ± 5 ppm/°C, Axial-Leaded, Copper Termination, 10.2 x 4 mm, Bulk,

Holsworthy UPF

View on TE.com >



Passive Components > Resistors > Through-Hole Resistors



Resistance Value: $2K\Omega$

Resistor Type: Precision Resistor

Element Type: Metal Film

Power Rating: .5 W

Resistance Class: $1k\Omega - 1M\Omega$

Features

Product Type Features

Resistor Type	Precision Resistor
Element Type	Metal Film
Configuration Features	

Electrical Characteristics

Number of Resistors

Operating Voltage	300 V
Resistance Value	2Κ Ω
Power Rating	.5 W
Resistance Class	$1k\Omega - 1M\Omega$
Passive Component Tolerance	.1 %

Body Features

Termination Features

Termination Area Base Material	Copper
Number of Terminations	2

Dimensions

Passive Component Dimensions 10.2 x 4 mm	
--	--



Usage Conditions

Operating Temperature Range	-55 – 125 °C
Temperature Coefficient	±5 ppm/°C
Packaging Features	
Packaging Method	Bulk

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts












Also in the Series | Holsworthy UPF



Customers Also Bought























Documents

Product Drawings

UPF50 0.1% 5PPM 2K0

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2176163-1_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2176163-1_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2176163-1_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

High Precision Metal Film Leaded Resistor Type UPF Series

English