




Passive Components > Resistors > Surface Mount Resistors



Resistance Value: 3.3 Ω

Resistor Type: Power Resistor

Element Type: Thick Film

Package Size Code: 1225

Power Rating: 3 W

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Thick Film
Package Size Code	1225

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Operating Voltage	200 V
Resistance Value	3.3 Ω
Power Rating	3 W
Resistance Class	Up to 1kΩ
Passive Component Tolerance	1 %

Termination Features

Surface Mount Resistor Termination Type	Solder
Number of Terminations	2



Dimensions

Product Height	.65 mm[.025 in]
Product Length	3.2 mm[.126 in]
Product Width	6.4 mm[.252 in]

Usage Conditions

Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±200 ppm/°C

Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

3430A3F3R3TDF

3.3 ohm, Surface Mount Power Resistor, Thick Film, 1225, 3 W, 1 %, ±200 ppm/°C, Solder, 2 Terminations, .65 mm [.025 in] Height, CGS 3430



TE Part # 1-2176564-4

3430 A3 1% 3R3 200ppm 4k RL

Also in the Series | CGS 3430

Surface Mount Resistors(1168)

Customers Also Bought

TE Part #1-2176566-8

3430 A3 1% 4R7 200ppm 1k RL

TE Part #3-2176617-7

SMQW3W 3R3 5%

TE Part #1-2176566-6

3430 A3 1% 3R9 200ppm 1k RL

TE Part #3-2176617-9

SMQW3W 3R9 5%

TE Part #2176566-2

3430 A3 1% 1R0 200ppm 1k RL

TE Part #3-2176310-2

RP 1E 0.1W 226R 0.1% 25PPM 1K RL

TE Part #2-2176566-2

3430 A3 1% 6R8 200ppm 1k RL

TE Part #2176566-3

3430 A3 1% 1R1 200ppm 1k RL

TE Part #2176566-6

3430 A3 1% 1R5 200ppm 1k RL

TE Part #1-2176566-2

3430 A3 1% 2R7 200ppm 1k RL



Documents

Product Drawings

3430 A3 1% 3R3 200ppm 1k RL

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-2176566-4_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2176566-4_BA.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1-2176566-4_BA.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Datasheet - CGS 3430 Series

English

Automotive Grade Wide Terminal Chip Resistor - Type 3430 Series

English