
1-2273105-4 - ACTIVE

TE Internal #: 1-2273105-4 M12 Pigtail Cable Assembly, 4 Position, 10 m, Sensor/Actuator, A Code, M12 Socket End A, Single Ended, Plastic View on TE.com >



Cable Assemblies > Copper Cable Assemblies > M8/M12 Cable Assemblies > M12 A-Code Female R/A LED Pigtail



Cable Assembly Type: M12 Pigtail

Number of Positions: 4

Cable Assembly Length: 10 m

M8/M12 Application Type: Sensor/Actuator

Connector & Keying Code: A

All M12 A-Code Female R/A LED Pigtail (16)

Features

Product Type Features

Cable Assembly Type

Cable Assembly (End A)

M12 Pigtail

M12 Socket

Configuration Features

Number of Positions	4		
Electrical Characteristics			
Operating Voltage	24 VDC		
Body Features			
Jacket Material	PVC		
Connector Color (End A)	Black		
Cable Color	Black		
Wire Color (Base)	Brown, White, Blue, Black		
Connector & Keying Code	A		
Contact Features			
Contact Current Rating (Max)	4 A		
Mechanical Attachment			
Thread Size	M12		
Connector Orientation (End A)	Right Angle		

1-2273105-4

M12 Pigtail Cable Assembly, 4 Position, 10 m, Sensor/Actuator, A Code, M12 Socket End A, Single Ended, Plastic



Housing Features

Housing Material	Plastic						
Dimensions							
Outside Cable Diameter	5 mm[.196 in]						
Wire Size	22 AWG						
Usage Conditions							
Operating Temperature Range	-30 – 80 °C[-22 – 176 °F]						
Operation/Application							
Indicator Type	LED						
M8/M12 Application Type	Sensor/Actuator						
Shielded	No						
Packaging Features							
Packaging Method	Box						
Other							
Field Serviceable	Yes						
Cable Assembly Length	10 m						
Cable Assembly Configuration	Single Ended						

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent

1-2273105-4

M12 Pigtail Cable Assembly, 4 Position, 10 m, Sensor/Actuator, A Code, M12 Socket End A, Single Ended, Plastic




chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




Customers Also Bought



TE Part #CAT-AM71-CH8172 AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING	TE Part #281934-2 SINGLE WIRE SEAL	TE Part #114017-ZZ SEALING PLUG, SIZE 12/16, WHT	TE Part #CAT-D48-ST273 DEUTSCH Solid Contacts



Documents



1-2273105-4

M12 Pigtail Cable Assembly, 4 Position, 10 m, Sensor/Actuator, A Code, M12 Socket End A, Single Ended, Plastic



ENG_CVM_CVM_1-2273105-4_A.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_1-2273105-4_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2273105-4_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

Product Specifications

Product Specification

English