

Rail D-Sub Backshells TE Internal #: 1-2308342-8 Shielded, Backshell, Zinc, Straight, 3 Shell Size, 25 Position, Crimp Ferrule Termination, Rail D-Sub Backshells View on TE.com >



Connectors > Connector Accessories > Connector Backshells > D-SUB BACKSHELL SIZE 3



Connector Backshell Product Style: Shielded

Connector Backshell Product Type: Backshell

Primary Product Material: Zinc

Body Orientation: Straight

Compatible With Connector Shell Size: 3

All D-SUB BACKSHELL SIZE 3 (8)

Features

Product Type Features

	04/13/2025
Usage Conditions	
Compatible With Connector Shape	D-Shaped
Body Orientation	Straight
Housing Features	
Thread Size	M3
Mating Retention Type	Jackscrew
Mechanical Attachment	
Primary Product Material	Zinc
Cable Exit Angle	180°, 45°
Body Features	
Number of Positions	25
Configuration Features	
Termination Device Type	Crimp Ferrule
Sealable	No
Connector Backshell Product Type	Backshell
Connector Backshell Product Style	Shielded

C For support call+1 800 522 6752

04/13/2025 09:27AM | Page 1

1-2308342-8

Shielded, Backshell, Zinc, Straight, 3 Shell Size, 25 Position, Crimp Ferrule Termination, Rail D-Sub Backshells



Operating Temperature Range	-40 - 90 °C[-40 - 194 °F]
Operation/Application	
Compatible With Connector Shell Size	3
Industry Standards	
UL Flammability Rating	UL 94V-0
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (3.5% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
	governmental regulations relevant to your geographic location.

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

1-2308342-8

Shielded, Backshell, Zinc, Straight, 3 Shell Size, 25 Position, Crimp Ferrule Termination, Rail D-Sub Backshells





Also in the Series | Rail D-Sub Backshells





Panel Mount D-Sub Connectors(10)

Customers Also Bought



1-2308342-8

Shielded, Backshell, Zinc, Straight, 3 Shell Size, 25 Position, Crimp Ferrule Termination, Rail D-Sub Backshells





Documents

Product Drawings FULL METAL HOODS SIZE 3-8 (RAW)

English

Datasheets & Catalog Pages Rail D-Sub Backshells Flyer

English