

Rail D-Sub Backshells TE Internal #: 1-2308345-2 Shielded, Backshell, Zinc, Straight, 4 Shell Size, 37 / 62 Position, Crimp Ferrule Termination, Rail D-Sub Backshells View on TE.com >



Connectors > Connector Accessories > Connector Backshells > D-SUB BACKSHELL SIZE 4



Connector Backshell Product Style: Shielded

Connector Backshell Product Type: Backshell

Primary Product Material: Zinc

Body Orientation: Straight

Compatible With Connector Shell Size: 4

All D-SUB BACKSHELL SIZE 4 (8)

Features

Product Type Features

	04/13/2025
Usage Conditions	
Compatible With Connector Shape	D-Shaped
Body Orientation	Straight
Housing Features	
Thread Size	M3
Mating Retention Type	Jackscrew
Mechanical Attachment	
Primary Product Material	Zinc
Cable Exit Angle	180°, 45°
Body Features	
Number of Positions	37,62
Configuration Features	
Termination Device Type	Crimp Ferrule
Sealable	No
Connector Backshell Product Type	Backshell
Connector Backshell Product Style	Shielded

1-2308345-2

Shielded, Backshell, Zinc, Straight, 4 Shell Size, 37 / 62 Position, Crimp Ferrule Termination, Rail D-Sub Backshells



Operating Temperature Range	-40 - 90 °C[-40 - 194 °F]
Operation/Application	
Compatible With Connector Shell Size	4
Industry Standards	
UL Flammability Rating	UL 94V-0
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant with Exemptions
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025
	(247) Candidate List Declared Against: JAN 202 (211) Does not contain REACH SVHC
Halogen Content	Candidate List Declared Against: JAN 202 [°] (211)

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


1-2308345-2


Shielded, Backshell, Zinc, Straight, 4 Shell Size, 37 / 62 Position, Crimp Ferrule Termination, Rail D-Sub Backshells






Also in the Series | Rail D-Sub Backshells





Panel Mount D-Sub Connectors(10)

Customers Also Bought



1-2308345-2

Shielded, Backshell, Zinc, Straight, 4 Shell Size, 37 / 62 Position, Crimp Ferrule Termination, Rail D-Sub Backshells





Documents

Product Drawings FULL METAL HOODS SIZE 4 - 2 (RAW)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2308345-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2308345-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2308345-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Rail D-Sub Backshells Flyer

English