# 1-2314097-2 ACTIVE

#### M12 Rail PG Clamp

TE Internal #: 1-2314097-2


0 Position Circular Connector, Wire & Cable, 0 Power Positions, 0 Signal Positions, 28 – 22 AWG, .08 – .34 mm<sup>2</sup> Wire, Plug, Pin, M12

Rail PG Clamp

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors > M12 Crimp Contact for A8 Code



Number of Positions: 0

Connector & Contact Terminates To: Wire & Cable

Number of Power Positions: 0

Number of Signal Positions: 0

Wire Size: .08 – .34 mm<sup>2</sup>

All M12 Crimp Contact for A8 Code (4)

## **Features**

## **Product Type Features**

Assembly Requirement	Unassembled Kit
Connector Product Type	Connector Assembly
Assembly Type	Electrical Connector
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Plug
Configuration Features	
Number of Positions	0
Number of Power Positions	0
Number of Signal Positions	0
Electrical Characteristics	
Operating Voltage	30 VDC

## **Body Features**



Primary Product Color	Natural
Contact Features	
Circular Connector Contact Type	Pin
Termination Features	
Termination Method to Wire & Cable	Crimp
Dimensions	
Wire Size	28 – 22 AWG
Usage Conditions	
IP Dust Sealing Level	6
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Durability Rating	250 Cycles
Industry Standards	
Compatible With Approved Standards Products	IEC
Packaging Features	
Packaging Quantity	1

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (2.05% in 34433948385) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts










## Also in the Series | M12 Rail PG Clamp




# Customers Also Bought






















## **Documents**

## **Product Drawings**

M12 CRIMP CONTACT PIN 0.8MM AWG26

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-2314097-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2314097-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2314097-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

Rail D-Sub Backshells Flyer

English