



Connectors > Lighting Connectors > Street Lighting Controls > Street Lighting Connectors



Lighting Product Type: **Accessory**
Primary Product Color: **Black**
Product Height: **18.4 mm [.724 in]**
Lighting Connector Features Included: **Not Keyed**
Number of Positions: **1**

Features

Product Type Features

Lighting Product Type	Accessory
Sealable	No

Configuration Features

Lighting Connector Features Included	Not Keyed
Number of Positions	1

Body Features

Primary Product Color	Black
-----------------------	-------

Dimensions

Product Diameter	80 mm[3.149 in]
Product Height	18.4 mm[.724 in]

Usage Conditions

Operating Temperature Range	-40 – 90 °C[-40 – 194 °F]
-----------------------------	---------------------------

Industry Standards

IP Rating	IP66
-----------	------



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Dodecamethylcyclhexasiloxane (D6) (.5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2328823-1
LUMAWISE S 80MM DIA DOME
SMOKE GRAY LOW



TE Part # 4-2328823-2
LUMAWISE ENDURANCE S 80MM
DOME, GRAY MED



TE Part # 1-2328823-1
LUMAWISE S 80MM DIA DOME
CLEAR LOW



TE Part # 1-2328823-3
LUMAWISE S 80MM DIA DOME
CLEAR TALL



TE Part # 1-2328823-2
LUMAWISE S 80MM DIA DOME
CLEAR MEDIUM

TE Part # 2328823-2
LUMAWISE S 80MM DIA DOME
SMOKE GRAY MED

TE Part # 2328823-3
LUMAWISE S 80MM DIA DOME
SMOKE GRAY TALL

Also in the Series | LUMAWISE Endurance S

Poke-In Connectors(1)

Street Lighting Connectors(47)

Street Lighting Power Management(5)

Customers Also Bought

TE Part #1-1415526-1
PT78742

TE Part #2213831-2
BASE ASSY, 80MM, VENTED, SEALED

TE Part #2-1676915-0
YR1 0.1% 7K68

TE Part #2328823-1
LUMAWISE S 80MM DIA DOME
SMOKE GRAY LOW

TE Part #2-1676914-7
YR1 0.1% 41K2

TE Part #4-1625999-0
HSC100 4R7 5%

TE Part #6-1415036-1
PTML0524

TE Part #1623783-9
SQM7 33K 5% (METAL FILM)

TE Part #9-1437621-4
KLN1250A1/4=KNOB KNURL W/IND L

TE Part #ANT-916-HETH
Antenna 1/4 Wave Coil 868MHz THM



Documents

Product Drawings

RAIN-SKIRT, LUMAWISE ENDURANCE S, BLACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2337216-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2337216-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2337216-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

LUMAWISE ENDURANCE Connector System

English

LUMAWISE STREET LIGHT DIMMING AND CONTROL QUICK REFERENCE GUIDE

English

Lumawise Endurance S Modules

English