
1-2340321-2 - ACTIVE

Sliver for SFF-TA-1002

TE Internal #: 1-2340321-2 Sliver for SFF-TA-1002, PCB Edge Card, Straddle Mount, 168 Position, Surface Mount, Sliver for SFF-TA-1002, Internal I/O Connectors

View on TE.com >

Connectors > PCB Connectors > Internal I/O Connectors



Internal I/O Connector Type: Sliver for SFF-TA-1002 Connector Mates With: PCB Edge Card PCB Mount Orientation: Straddle Mount Number of Positions: 168 Industry Standard: Gen-Z, OCP NIC 3.0

Features



Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Internal I/O Connector Type	Sliver for SFF-TA-1002
Connector Mates With	PCB Edge Card
Configuration Features	
Number of Rows	2
PCB Mount Orientation	Straddle Mount
Number of Positions	168
Contact Features	
Contact Features PCB Contact Termination Area Plating Material	Tin
	Tin Nickel
PCB Contact Termination Area Plating Material	
PCB Contact Termination Area Plating Material Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material Contact Underplating Material Contact Mating Area Plating Material	Nickel Gold (Au)

1-2340321-2

Sliver for SFF-TA-1002, PCB Edge Card, Straddle Mount, 168 Position, Surface Mount, Sliver for SFF-TA-1002, Internal I/O Connectors



Termination Features

Termination Method to PCB	Surface Mount
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	.6 mm[.023 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Industry Standard	Gen-Z, OCP NIC 3.0
Product Compliance	

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	
FU FLV Directive 2000/53/FC	

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Compliant

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

1-2340321-2

Sliver for SFF-TA-1002, PCB Edge Card, Straddle Mount, 168 Position, Surface Mount, Sliver for SFF-TA-1002, Internal I/O Connectors




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | Sliver for SFF-TA-1002



Customers Also Bought



1-2340321-2

Sliver for SFF-TA-1002, PCB Edge Card, Straddle Mount, 168 Position, Surface Mount, Sliver for SFF-TA-1002, Internal I/O Connectors



TE Part #2379420-2 TE Part #2356580-5 SOCKET E1 TFLM KIT W/ COVER SOCKET P4 TFLM KIT W/ COVER FOR INSPUR

Documents

Product Drawings ASSY STRADDLE MOUNT 168P 076 SLIVER 2.0

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2340321-2_A3.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2340321-2_A3.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2340321-2_A3.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages Sliver Internal Cabled Interconnect Solutions Brochure (Chinese)

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English