1-2394061-2 ACTIVE

PowerTube | PowerTube HVP-HD 1000

TE Internal #: 1-2394061-2

Bus Bar-to-Wire, 2 Position, 36 mm [1.417 in] Centerline, Fully Shrouded, Silver (Ag), Through Hole - Screw, Sealable, Power,

PowerTube HVP-HD 1000

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles > PowerTube HVP-HD 1000 180° Headers











Connector System: Bus Bar-to-Wire

Number of Positions: 2

Number of Rows: 1

Centerline (Pitch): 36 mm [1.417 in]

Header Type: Fully Shrouded

All PowerTube HVP-HD 1000 180° Headers (87)

Features

Product Type Features

Nominal Voltage Architecture

Connector Shape	Circular
Connector System	Bus Bar-to-Wire
Header Type	Fully Shrouded
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
Connector Product Type	Connector Assembly
Configuration Features	
Number of Positions	2
Number of Rows	1
Electrical Characteristics	
Operating Voltage	1000 VDC

1000 V



Body Features

Connector & Keying Code	CD
Primary Product Color	Blue, Purple

Contact Features

Mating Pin Diameter	10 mm[.393 in]
Contact Mating Area Plating Material	Silver (Ag)
Contact Type	Pin

Termination Features

Mechanical Attachment

Mating Alignment Type	Polarization
PCB Mount Retention	Without
Connector Mounting Type	Panel Mount
Mating Alignment	With

Housing Features

Centerline (Pitch)	36 mm[1.417 in]
,	

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]

Operation/Application

Circuit Application	Power	
---------------------	-------	--

Industry Standards

IP Rating	IP6K9K
UL Flammability Rating	UL 94V-0

Packaging Features

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.71% in 20432827695) Decamethylcyclopentasiloxane (D5) (2.41% in 30409098329) Octamethylcyclotetrasiloxane (D4) (10% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | PowerTube HVP-HD 1000





Automotive Connector EMC Shielding (4)



Automotive Headers(183)



Automotive Housings(27)




Automotive Terminals(6)



Connector Seals & Cavity Plugs(5)



Other Automotive Connector Accessories(29)



PCB Headers & Receptacles(183)



Rectangular Power Connectors(183)

Customers Also Bought



TE Part #1-2371035-1 2POS,DIA 4MM,SOC HSG ASSY,SLD, COD A




TE Part #1-2394061-3 2POS,HVP1000,ASSY,180DEG,COD E /F



TE Part #2414-002-1886 LOCKWASHER, SIZE 18, HDP



TE Part #1-1719506-1 AMP MCP 2.8, CONTACT SWS



TE Part #1473672-1 025 PLUG ASSY



TE Part #1703810-6 SLIDE,TAB HSG GROUP B



TE Part #2392519-1 3POS,DIA 4MM,SOC OUTER HSG ASSY



TE Part #CAT-H3399-CH8172
Heavy Duty Sealed Connector Series
Housings



Documents



Product Drawings

2POS,HVP1000,ASSY,180DEG,COD CD

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-2394061-2_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2394061-2_D.3d_igs.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2394061-2_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications

Application Specification

English