1-2399607-2 ACTIVE

PowerTube | PowerTube HVP-HD 1400

TE Internal #: 1-2399607-2

Bus Bar-to-Wire, 2 Position, 47 mm [1.85 in] Centerline, Header & Push-Push Assembly, Silver (Ag), Through Hole - Screw, PowerTube

HVP-HD 1400

View on TE.com >




Connectors > PCB Connectors > PCB Headers & Receptacles > PowerTube HVP-HD 1400 180° Headers











Connector System: Bus Bar-to-Wire

Number of Positions: 2

Number of Rows: 1

Centerline (Pitch): 47 mm [1.85 in]

Header Type: Header & Push-Push Assembly

All PowerTube HVP-HD 1400 180° Headers (90)

Features

Product Type Features

der & Push-Push Assembly
Bar
nector Assembly
3

Configuration Features

Number of Positions	2	
Number of Rows	1	

Electrical Characteristics

Operating Voltage	1000 VDC
Nominal Voltage Architecture	1000 V

Body Features



Connector & Keying Code	C-D
Primary Product Color	Blue, Purple
Contact Features	
Mating Pin Diameter	14 mm[.55 in]
Contact Mating Area Plating Material	Silver (Ag)
Contact Type	Pin
Termination Features	
Termination Method to PCB	Through Hole - Screw
Mechanical Attachment	
Mating Alignment Type	Polarization
Connector Mounting Type	Panel Mount
Mating Alignment	With
Housing Features	
Centerline (Pitch)	47 mm[1.85 in]
Usage Conditions	
Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
IP Rating	IP6K9K
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JAN 2025 (247)

SVHC > Threshold:

Dodecamethylcyclohexasiloxane (D6) (.71% in 26482122991)

Decamethylcyclopentasiloxane (D5) (2.41% in 30409226519)

Octamethylcyclotetrasiloxane (D4) (10% in

Component Part)

Article Safe Usage Statements:

Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-AQ4-HFFTH1400 PowerTube HVP-HD 1400 Plug Pre-Assemblies



TE Part # 2446256-3 HD1400 PRE-ASSY SU-BEAM,NO TPA, FINGER



TE Part # 2407804-1 COVER,SHIPPING CAP FOR HD1400 HEADR



TE Part # 2446256-1 HD1400 PRE-ASSY,NO TPA,FINGER





Also in the Series | PowerTube HVP-HD 1400





Automotive Connector Caps & Covers (1)




Automotive Connector EMC Shielding (5)





Automotive Housings(28)



Automotive Terminals(4)











Customers Also Bought



Documents

CAD Files

Customer View Model

ENG_CVM_CVM_1-2399607-2_D.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2399607-2_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2399607-2_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Bus Bar-to-Wire, 2 Position, 47 mm [1.85 in] Centerline, Header & Push-Push Assembly, Silver (Ag), Through Hole - Screw, PowerTube HVP-HD 1400



Product Specifications

Application Specification

English