




Connectors > Connector Accessories > Connector Caps & Covers > Bus Connector: Strain Relief, ATA



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Black**

Primary Product Material: **Thermoplastic**

Number of Positions: **44**

[All Bus Connector: Strain Relief, ATA \(13\)](#)

Features

Product Type Features

Connector Cover Type	Strain Relief Cover
----------------------	---------------------

Configuration Features

Number of Positions	44
---------------------	----

Body Features

Primary Product Color	Black
Primary Product Material	Thermoplastic

Dimensions

Product Length	60.7 mm[2.39 in]
----------------	------------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Bag
Packaging Quantity	1



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2018 (181) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1-1658622-3
44 NOVO MIL/CTR 30DP, LEAD FREE

TE Part # 1-5102153-3
A/L UNIV HDR 44P VERT

TE Part # 2-111506-5
044 UNIV I/O 30DP SLOT LTCH

TE Part # 3-1761603-4
IDC LOW PRO HDR 44P VERT BLUE

TE Part # 1-1658621-3
044 NOVO CTR&MIL 15DP FT



Customers Also Bought




TE Part #7-520366-2
ULTRAFAST 110 ASSY REC 26-22
TPBR LP




TE Part #1658621-6
26 NOVO MIL/CTR 15DP,LEAD FREE




TE Part #1658621-2
14 NOVO MIL/CTR 15DP,LEAD FREE




TE Part #5103308-2
A/L LOW PRO HDR 14P VERT BLACK



TE Part #33471
TERMINAL,SOLIS R 4 3/8



TE Part #CAT-AM71-A8502
Bus Connector: Strain Relief, ATA



TE Part #6-534206-0
20 MODII VRT DR CE 100/115



TE Part #1-1658622-3
44 NOVO MIL/CTR 30DP,LEAD FREE

Documents

Product Drawings

044 STRAIN RELIEF A-L RCPT

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-499252-1_AL.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-499252-1_AL.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-499252-1_AL.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Ribbon Cable Interconnect Solutions

English

Product Specifications

Application Specification

English

1-499252-1

Strain Relief Cover, Black, Thermoplastic, 44 Position

