### **PIDG**

TE Internal #: 1-51864-5

Closed Ring Tongue Terminal, 14 AWG, #10 Stud, 5 mm [.197 in]


Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially

Insulated

View on TE.com >



Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 4234 CMA

Stud Size: #10

All PIDG Ring Tongue Terminals (410)

### **Features**

## Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Wire Insulation Support Retention Type	Insulation Restriction
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Product Weight	.99 g
Insulation Sleeve Color	Blue
Stripe Color	Green
Contact Features	



Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	4234 CMA
Stud Diameter	5 mm[.197 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	23 mm[.906 in]
Compatible Insulation Diameter (Max)	3.81 mm[.15 in]
Compatible Insulation Diameter Range	2.67 – 3.81 mm[.105 – .15 in]
Compatible Insulation Diameter Range  Usage Conditions	2.67 – 3.81 mm[.105 – .15 in]
	2.67 – 3.81 mm[.105 – .15 in]  Partially Insulated
Usage Conditions	
Usage Conditions Insulation Option	
Usage Conditions  Insulation Option  Operation/Application	Partially Insulated
Usage Conditions Insulation Option Operation/Application Compatible With Wire Base Material	Partially Insulated  Copper
Usage Conditions Insulation Option Operation/Application Compatible With Wire Base Material Compatible With Wire Plating Material	Partially Insulated  Copper
Usage Conditions Insulation Option Operation/Application Compatible With Wire Base Material Compatible With Wire Plating Material Industry Standards	Partially Insulated  Copper  Tin
Usage Conditions Insulation Option Operation/Application Compatible With Wire Base Material Compatible With Wire Plating Material Industry Standards Government Qualified Terminal	Partially Insulated  Copper  Tin

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


## Compatible Parts



TE Part # 59824-1
TETRA-CRIMP PIDG PG FASTON 2210 ASSY



TE Part # 58423-1 DIE, RBY IS9252



TE Part # 47807-1 DIES PIDG 16-14 DIE SET



TE Part # 47806-2
DIES PIDG 22-16 DIE SET










# Also in the Series | PIDG



Compression Connectors(17)



Crimp Wire Pins, Tabs & Ferrules(41)



Hand Crimping Tools(2)




Knife Disconnects(11)





Ring Terminals(588)



Spade Terminals(228)




Special Purpose Terminals(1)



Splices(41)


# Customers Also Bought



TE Part #1-5103310-0 A/L LOW PRO HDR 50P RA BLACK




TE Part #5-747905-5 9 Rcpt Solder Cup, 30 gold, Ro



TE Part #2317171-1 AMPL REC, HD22, VERT, 15P, THREADED



TE Part #9-1614353-2 RN 0603 4K02 0.1% 10PPM CUT LENGTH



TE Part #F74262-000 WP-508127-5-9



TE Part #1-84953-2 1MM FPC HORZ.TOP CONT.ASSY 12P



TE Part #6-104069-2 24 sys 50 hdr drra shrd sn



TE Part #2-1625984-5 HSA50 1R2 5%



MICRO MNL HDR ASSY S/ROW LF



## **Documents**

**Product Drawings** 

TERMINAL, PIDG RING 14 IR 10

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-51864-5\_AF.2d\_dxf.zip

Closed Ring Tongue Terminal, 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated



English

**Customer View Model** 

ENG\_CVM\_CVM\_1-51864-5\_AF.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-51864-5\_AF.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

**CSA Certificate** 

English