TE Internal #: 1055692-1

SSMT Connector, Plug, 50 ohm, Snap-On, 6 GHz, Cable-to-Cable,

1 Position, Printed Circuit Board, Board Mount, -40 – 125 °C [-40 –

257 °F]

View on TE.com >



#### Connectors > RF Connectors > Coax Connectors



RF Interface: SSMT

RF Connector Style: Plug

Impedance:  $50 \Omega$ 

RF Connector Coupling Mechanism: Snap-On

Operating Frequency: 6 GHz

## **Features**

## **Product Type Features**

RF Interface	SSMT
RF Connector Style	Plug
Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

## **Configuration Features**

PCB Mount Orientation	Vertical
Number of Positions	1
Number of Coaxial Contacts	1

#### **Electrical Characteristics**

Impedance	50 Ω	

## **Body Features**

Body Material	Polyphenylene Sulfide (PPS)
Body Material Finish	Plated
Body Plating Material	Gold

#### **Contact Features**

RF Connector Center Contact Underplating Material	Nickel
RF Connector Center Contact Plating Material	Gold (Au)



RF Connector Center Contact Material	Copper Alloy
Termination Features	
Termination Method to PCB	Surface Mount
Mechanical Attachment	
RF Connector Coupling Mechanism	Snap-On
Connector Mounting Type	Board Mount
Detent	Without
Dimensions	
Profile Height from PCB	3 mm[.118 in]
Usage Conditions	
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operation/Application	
Operating Frequency	6 GHz
Packaging Features	
Packaging Quantity	2500
Packaging Method	Tape & Reel

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

















## Customers Also Bought



### **Documents**

Product Drawings

2367 5016 54 OSMT PLUG,2500/RL

English

**CAD Files** 

3D PDF

English

**Customer View Model** 



ENG\_CVM\_1055692-1\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_1055692-1\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_1055692-1\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1307191 RF Coax Products Catalog

English