



Terminals & Splices > Automotive Terminals



Terminal Type: **Pin**
Wire Size: **22 – 16 AWG**
Interface Plating: **Gold (Au)**
Primary Locking Feature: **Integrated in Housing**

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Family Seal or Unsealed
--------------------	-------------------------

Contact Features

Typical Current Rating	7.5 A
Crimp Type	F-Crimp
Contact Size	Size 20
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Pin
Interface Plating	Gold (Au)
Mating Pin Diameter	1 mm[.04 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Compatible Insulation Diameter Range	1.3 – 2.2 mm[.051 – .085 in]
--------------------------------------	------------------------------



Wire Size	22 – 16 AWG
Wire Size Search	.35 mm ² , .5 mm ² , .75 mm ² , 1 mm ² , 1.5 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	4000

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1062-20-0644 SOC, SF, SIZE 20, 14-16, AU/SN	 TE Part # YDTM04-08PC-L02500 REC, 8P, GRN, N, FLANGE, C	 TE Part # DTM04-08PC-E018 REC, 8P, GRN, N, HIGH TEMP, C	 TE Part # DTM04-08PD-E003 REC, 8P, BRN, N, CAP, D
 TE Part # DTM04-08PD-E004 REC, 8P, BLK, N, D	 TE Part # DTM04-08PC-E003 REC, 8P, GRN, N, CAP, C	 TE Part # DTM04-12PD-E003 REC, 12P, BRN, N, CAP, D	 TE Part # 2303064-2 REC, 12P, BLK, N, FLANGE, B
 TE Part # 1-2303064-1 12POS, STAMPED 20, PIN HSG ASSY, SLD, COD 1	 TE Part # DTM04-12PC-E005 REC, 12P, BLK, N, CAP, C	 TE Part # DRCP24-86PA REC, 86P, BLK, 12/20, A	 TE Part # 7-2266119-7 OCEAN_2.0_SPARE_PART_KIT-069F068O
 TE Part # DTM04-08PC REC, 8P, GRN, N, C	 TE Part # DTMH04-4PD REC, 4P, BLK, N, HI TEMP, D	 TE Part # DTMH04-4PB REC, 4P, BLK, N, HI TEMP, B	 TE Part # DTM04-08PB-E003 REC, 8P, BLK, N, CAP, B



TE Part # 5-2266120-1
OCEAN_2.0_APPLICATOR-S-069F052O-RSM




TE Part # 5-2266119-1
OCEAN_2.0_APPLICATOR-S-069F068O-RSM

TE Part # YDTM04-08PD-L02500
REC, 8P, BRN, N, FLANGE, D



TE Part # DTM04-08PC-EE04
REC, 8P, BLK, N, HIGH TEMP, C

Also in the Series | DEUTSCH Common Contact



Automotive Terminals(127)



Insertion & Extraction Tools(8)

Customers Also Bought



TE Part #160102-2
RING TONGUE WITH IS 20-16 0.0253 TPBR



TE Part #1-1863003-2
UMNL 9WAY PLUG HOUSING



TE Part #2178473-2
3POS UMNL PLUG HSG V0 GW



TE Part #1-1969541-4
RETAINER, TPA, DUAL ROW, EP2.5




TE Part #1-1969541-8
RETAINER, TPA, DUAL ROW, EP2.5



TE Part #1-2324579-6
HOUSING, PLUG, 16P, DUAL ROW, EP2.5



TE Part #1-2324579-4
HOUSING, PLUG, 14P, DUAL ROW, EP2.5



TE Part #2-160304-4
250 FASTON,REC.,14-17AWG,PNIPST EP2.5



TE Part #1-2324579-2
HOUSING, PLUG, 12P,DUAL ROW, EP2.5



TE Part #2329016-4
PWR VERSA-LOCK TPA, 1X4



Documents

Product Drawings

PIN, SF, SIZE 20, 16-22, AU/SN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1060-20-0244_H_c-1060-20-0244-h.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1060-20-0244_H_c-1060-20-0244-h.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1060-20-0244_H_c-1060-20-0244-h.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

DEUTSCH HD30 & HDP20 CONNECTOR SERIES

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English