
106137-2 - ACTIVE

Z-PACK | Z-PACK 2mm HM

TE Internal #: 106137-2 PCB Mount Shroud, Gray, Glass Filled Polyester, 110 Position, Z-PACK 2mm HM

View on TE.com >

Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: PCB Mount Shroud

Primary Product Color: Gray

Primary Product Material: Glass Filled Polyester

Number of Positions: 110

Operating Temperature (Max): 125 °C [257 °F]

Features

Product Type Features



Connector Cover Type	PCB Mount Shroud				
Configuration Features					
Number of Rows	5				
Number of Positions	110				
Body Features					
Primary Product Color	Gray				
Primary Product Material	Glass Filled Polyester				
Mechanical Attachment					
Mating Alignment Type	Multi-Purpose Center				
Mating Alignment	With				
Housing Features					
Centerline (Pitch)	2 mm[.079 in]				
Dimensions					
Row-to-Row Spacing	2 mm[.079 in]				

106137-2

PCB Mount Shroud, Gray, Glass Filled Polyester, 110 Position, Z-PACK 2mm HM



Product Width	15.4 mm[.606 in] 49.9 mm[1.965 in]			
Product Length				
Product Height	13.46 mm[.53 in]			
Usage Conditions				
Operating Temperature (Max)	125 °C[257 °F]			
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]			
Industry Standards				
UL Flammability Rating	UL 94V-0			
Product Compliance For compliance documentation, visit the product page on TE.com>				
EU RoHS Directive 2011/65/EU	Compliant			
EU ELV Directive 2000/53/EC	Compliant			
	No Restricted Materials Above Threshold			
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold			

Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


106137-2

PCB Mount Shroud, Gray, Glass Filled Polyester, 110 Position, Z-PACK 2mm HM






Also in the Series | Z-PACK 2mm HM



Hard Metric Backplane Connectors	Insertion & Extraction Tools(2)	PCB Headers & Receptacles(46)	Rectangular Power Connectors(46)	
(266)				

Customers Also Bought






106137-2

PCB Mount Shroud, Gray, Glass Filled Polyester, 110 Position, Z-PACK 2mm HM





Documents

Product Drawings Z-PACK/A SHRD.110P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_106137-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_106137-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_106137-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English