



Terminals & Splices > Automotive Terminals > DEUTSCH Size 16 Crimp Contacts



Terminal Type: **Socket**

Wire Size: **16 – 12 AWG**

Interface Plating: **Nickel (Ni)**

Primary Locking Feature: **Integrated in Housing**

[All DEUTSCH Size 16 Crimp Contacts \(31\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Family Seal or Unsealed
--------------------	-------------------------

Contact Features

Typical Current Rating	13 A
Crimp Type	F-Crimp
Contact Size	Size 16
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Nickel
Terminal Type	Socket
Interface Plating	Nickel (Ni)
Mating Pin Diameter	1.5 mm[.062 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions



Compatible Insulation Diameter Range	1.9 – 3.6 mm[.075 – .14 in]
Wire Size	16 – 12 AWG
Wire Size Search	1 mm², 1.5 mm², 2.5 mm²

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	4000

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # DTV06-18SD-C032 PLG, 18P, BRN, N, 7-12 BLOCKED, D	 TE Part # CAT-D487-CH8172 DEUTSCH DT Series Housings & Connectors	 TE Part # 5-2266112-1 OCEAN-2.0-APPLICATOR-S-103F126O-RSM	 TE Part # DTV06-18SB-C032 PLG, 18P, BLK, N, 7-12 BLOCKED, B
 TE Part # 7-2266115-8 OCEAN_2.0_CONVERSIONKIT_DEUTSCH-103F080O	 TE Part # AEC16-40SDE PLG, 40P, BLK, E, D	 TE Part # AEC16-40SCT PLG, 40P, BLK, T, C	 TE Part # 5-2266115-2 OCEAN_2.0_APPLICATOR-S-103F080O-RSA
 TE Part # CAT-J41-DDCC DEUTSCH DT Color Connectors	 TE Part # 7-2266113-7 OCEAN_2.0_SPARE_PART_KIT-103F110O	 TE Part # 7-2266112-7 OCEAN_2.0_SPARE_PART_KIT-103F126O	 TE Part # 2266113-2 OCEAN_2.0_APPLICATOR-S-103F110O-RSA
 TE Part # 2266115-1 OCEAN_2.0_APPLICATOR-S-103F080O-RSM	 TE Part # 2266114-1 OCEAN-2.0-APPLICATOR-S-103F090O-RSM	 TE Part # 2266113-1 OCEAN_2.0_APPLICATOR-S-103F110O-RSM	 TE Part # 2266112-2 OCEAN-2.0-APPLICATOR-S-103F126OA-RSA



TE Part # AEC16-40SUE-E019
PLG, 40P, BLK, E, XCAP, U

TE Part # DTV06-18SC-C015
PLG, 18P, GRN, E, C

TE Part # CAT-J67-DSCC16
DEUTSCH Size 16 Crimp Contacts

KIT
TE Part # 7-2266113-8
OCEAN_2.
0_CONVERSIONKIT_DEUTSCH-
103F1100

Also in the Series | **DEUTSCH Common Contact**

Automotive Terminals(127)

Insertion & Extraction Tools(8)

Customers Also Bought

TE Part #2266828-1
OCEAN-2.0-APPLICATOR-S-
130F230O-RSM

TE Part #1062-20-0344
SOC, SF, SIZE 20, 16-22, SLEVLESS, AU
/SN

TE Part #282465-1
MINI MIC TAB CONTACT >1,5-

TE Part #770680-5
23POS,AMPSEAL,SOC HSG ASSY,SLD,
COD 5

TE Part #CAT-J67-DSCC16
DEUTSCH Size 16 Crimp Contacts

TE Part #3-644878-7
07P MTA156 ASSY ON TAPE LF

TE Part #CAT-J41-DDPC
DEUTSCH DT Plug Connectors

TE Part #W8S-P012
WEDGE LOCK, 8P, PLG, GRN, SL RET,
DT

Documents

Product Drawings
SOC, SF, SIZE 16, 12-16, SLVLES, NI/NI

English

CAD Files
3D PDF

3D



Customer View Model

[ENG_CVM_CVM_1062-16-1422_H.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1062-16-1422_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1062-16-1422_H.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English