

#### MEAS | BETACURVE

TE Internal #: 11028086-00

TE Internal Description: DISCRETE 2.2K OHM,+/-0.1C FROM 0C

TO 70C

Standard Epoxy NTC Thermistors

View on TE.com >



Sensors > Temperature Sensors > NTC Sensors > NTC Thermistors > Standard Epoxy NTC Thermistors



NTC Sensor Type: **Epoxy Coated NTC Thermistor** 

Lead Wire Length: 76 mm [ 2.992 in ]

Resistance (at 25°C): 2.252  $k\Omega$ 

Resistance Tolerance (at 25°C): ± .25 %

β-Value(25/85): **3976 K** 

All Standard Epoxy NTC Thermistors (59)

#### **Features**

### **Product Type Features**

β-Value (0/50)	3892 K
Temperature Tolerance	± 0.1 °C from 0 – 70 °C
NTC Sensor Type	Epoxy Coated NTC Thermistor
Resistance Tolerance (at 25°C)	± .25 %
Tolerance $\beta$ -Value	±.5 %

#### **Electrical Characteristics**

<b>β</b> -Value(25/85)	3976 K	

## **Body Features**

Insulation Material	Polytetrafluoroethylene (PTFE)
Lead Wire Conductor Type	Silver Plated Copper Solid

#### **Dimensions**

Lead Wire Size	30 AWG
Product Diameter	2.4 mm[.094 in]
Lead Wire Length	76 mm[2.992 in]

## **Usage Conditions**



Resistance (at 25°C)	2.252 kΩ
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

### **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





Also in the Series | BETACURVE





# Customers Also Bought









TE Part #4233-HGL-S-375-000 375mmHg Gauge Sensor SO10 TE Part #20-0676 EMITTER H660/940NM 1 2 3

TE Part #20004752-39
Pressure Sensor, 154BSD050PA-3BIR

TE Part #85-030A-FC
ASSY,85 FLMT,CBL-CONN

TE Part #XA113

DISPOSABLE GENERAL PURPOSE
PROBE

TE Part #89CV-05KS-5R NISO,1/4-19BSP,3/4HEX,CABLE

## **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_11028086-00\_K.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_11028086-00\_K.3d\_igs.zip



English

**Customer View Model** 

ENG\_CVM\_CVM\_11028086-00\_K.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

GA2.2K3A1i SERIES II THERMISTORS

English

CAT-NTC0001 Epoxy coated NTC Thermistors

English