



Connectors > Connector Accessories > Connector Hardware > Universal Headers: Ejector Latch



Connector Hardware Accessory Type: **Latch**

Primary Product Color: **Red**

Primary Product Material: **Thermoplastic**

Hardware Accessory Function: **Latching, Locking & Retention**

[All Universal Headers: Ejector Latch \(8\)](#)

Features

Product Type Features

Connector Hardware Accessory Type	Latch
Hardware Accessory Function	Latching, Locking & Retention

Body Features

Primary Product Color	Red
Primary Product Material	Thermoplastic

Dimensions

	.642 in
--	---------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Package
Packaging Quantity	1

Product Compliance



For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1658528-2
636-1041LF FEM SOCKET,LEAD FREE




TE Part # 1-1658528-9
636-4041LF=FEM SKT BLD POL S/R



TE Part # 1658528-8
636-5041LF FEM SOCKET,LEAD FREE




TE Part # 1658528-4
636-2041LF FEM SOCKET,LEAD FREE



TE Part # 1658528-5
636-2641LF FEM SOCKET,LEAD FREE



Also in the Series | AMP-LATCH Universal Headers



Connector Hardware(13)



Ribbon Cable Connectors(523)

Customers Also Bought




TE Part #5745782-6
15 MSFL RCPT RA 318 (SL,FM)




TE Part #CAT-AM71-UN385
Universal Headers: Ejector Latch



TE Part #2351885-4
4POS TB HDR 180 DEG, PITCH 5.0&TL 4.5mm



TE Part #796642-4
4POS 5.0MM CE VRT HDR,TRM BLK



TE Part #2351885-6
6POS TB HDR 180 DEG, PITCH 5.0&TL 4.5mm



TE Part #5102156-4
A/L UNIV HDR 20P VERT



TE Part #650470-5
096 EURO TYPE R PIN ST ASSY



TE Part #1-794106-1
20P MINI UMNL R/A HDR ASSY LF



TE Part #535032-4
096 EURO TYPE C RECEPT AP ASSY

Documents

Product Drawings
UNIVERSAL HEADER LATCH

English

CAD Files
3D PDF
3D



Customer View Model

[ENG_CVM_CVM_111293-1_H.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_111293-1_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_111293-1_H.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Ribbon Cable Interconnect Solutions](#)

English

Agency Approvals

[Agency Approval Document](#)

English