



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**
Mating Tab Width: **6.35 mm [.25 in]**
Mating Tab Thickness: **.81 mm [.032 in]**
Termination Method to PCB: **Through Hole - Screw**
Terminal Plating Material: **Tin**

Features

Product Type Features

Insertion Force	Normal
Terminal Features	Stud Hole

Contact Features

PCB Contact Termination Area Plating Material Thickness	1.01 μm[40 μin]
Contact Mating Area Plating Material Thickness	1.01 μm[40 μin]
PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	6.35
Terminal Orientation	Straight

Termination Features

Termination Method to PCB	Through Hole - Screw
---------------------------	----------------------



Product Terminates To

Printed Circuit Board

Dimensions

Stud Diameter	4.34 mm[.171 in]
Terminal Material Thickness	.78 mm[.031 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-30 – 110 °C[-22 – 230 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1742375-1
TAB,FASON,.375 SERIES



TE Part # 42095-1
250 FASTON TAB TPBR



TE Part # 60080-2
250 FASTON TAB TPBR



TE Part # 42822-2
250 FASTON TAB TPBR



TE Part # 63633-1
250 FASTON TAB BR



TE Part # 42214-2
250 FASTON TAB TPBR



TE Part # 63038-2
250 FASTON TAB BR



TE Part # 60465-2
250 FASTON TAB TPBR



TE Part # 42802-1
250 FASTON TAB TPBR




TE Part # 42822-4
250 FASTON TAB TPBR



TE Part # 42117-2
250 FASTON TAB TPBR



TE Part # 725964-2
250 FASTON TAB TPBR



TE Part # 62629-2
110 FASTON TAB BR



TE Part # 42214-1
250 FASTON TAB BR



TE Part # 42506-2
250 FASTON TAB TPBR




TE Part # 60465-1
250 FASTON TAB BR

Also in the Series | **FASTON 250**




Compression Connectors(4)



Crimp Terminal Housings(116)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(134)




Quick Disconnects(421)



Splices(4)

Customers Also Bought



TE Part #61365-1
250 FASTON TAB TPBR



TE Part #1-172165-2
2CIR MINI U-M-N-L PLUG RED



TE Part #1-1604210-1
UMNL BULKHEAD CONN,6 POS



TE Part #1-2416049-3
PBES22 40 LED 24V AC/DC 10mA NC NC




TE Part #91522-1
CCII MINI UNML PIN SKT 22-18 ASSY




TE Part #323672
SPLICE,SOLIS PARA HT 12-10



TE Part #T1320160132-000
H16B-TG-RO-M32



TE Part #2-321801-3
SOLIS BUTT 22-16 COMM 22-18MIL



TE Part #3-520107-2
ULTRA-FAST 250 ASY TAB 16-14 AWG TPBR



TE Part #2-327043-1
PG SPD 22-16 COMM 22-18 MIL 6

Documents

Product Drawings

250 FASTON,TAB,TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1217558-2_D.2d_dxf.zip

1217558-2

Tab, 6.35 mm [.25 in] Tab Width, Through Hole - Screw, Tin Plating, Bag, Terminates To Printed Circuit Board, Straight, FASTON 250, PCB Terminals



English

Customer View Model

[ENG_CVM_CVM_1217558-2_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1217558-2_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTON Tabs](#)

English