

### AMPLIMITE

TE Internal #: 1218440-5 50 Position D-Shaped Connector, Plug, Cable-to-Board, Board Mount, 5 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal

View on TE.com >

Connectors > D-Shaped Connectors



Number of Positions: **50** Connector & Housing Type: **Plug** Connector System: **Cable-to-Board** Connector Mounting Type: **Board Mount** Connector Shell Size: **5** 

## Features

## Product Type Features

| Sealable                 | No             |
|--------------------------|----------------|
| Connector & Housing Type | Plug           |
| Connector System         | Cable-to-Board |



| Connector Shell Size                 | 5                       |  |  |  |
|--------------------------------------|-------------------------|--|--|--|
| Connector & Contact Terminates To    | Printed Circuit Board   |  |  |  |
| Configuration Features               |                         |  |  |  |
| PCB Mount Orientation                | Right Angle             |  |  |  |
| Power/Signal/Coax Combination        | No                      |  |  |  |
| Number of Positions                  | 50                      |  |  |  |
| Body Features                        |                         |  |  |  |
| Front Shell Material                 | Steel                   |  |  |  |
| D-Sub Connector Insert Arrangement   | MS18277-1               |  |  |  |
| Rear Shell Plating Material          | Cadmium                 |  |  |  |
| Rear Shell Material                  | Steel                   |  |  |  |
| Front Shell Plating Material         | Cadmium                 |  |  |  |
| Contact Features                     |                         |  |  |  |
| Contact Mating Area Plating Material | Gold (Au)               |  |  |  |
| Contact Base Material                | Beryllium Copper, Brass |  |  |  |

## 1218440-5

50 Position D-Shaped Connector, Plug, Cable-to-Board, Board Mount, 5 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



| PCB Contact Termination Area Plating Material | Nickel                |  |  |  |
|-----------------------------------------------|-----------------------|--|--|--|
| Contact Size                                  | Size 20               |  |  |  |
|                                               | 10 µin                |  |  |  |
| Contact Type                                  | Pin                   |  |  |  |
| Contact Current Rating (Max)                  | 5 A                   |  |  |  |
| Contact Options                               | Installed             |  |  |  |
| Termination Features                          |                       |  |  |  |
| Termination Method to PCB                     | Through Hole - Solder |  |  |  |
| Termination Post & Tail Diameter              | .76 mm[.03 in]        |  |  |  |
| Termination Post & Tail Length                | 3.18 mm[.125 in]      |  |  |  |
| Mechanical Attachment                         |                       |  |  |  |
| Mounting Hole Diameter                        | 3.05 mm[.12 in]       |  |  |  |
| Mating Alignment                              | Without               |  |  |  |
| Connector Mounting Type                       | Board Mount           |  |  |  |
| Housing Features                              |                       |  |  |  |
| Centerline (Pitch)                            | 2.77 mm[.109 in]      |  |  |  |
| Usage Conditions                              |                       |  |  |  |

| Operating Temperature Range                                                                                           | -55 – 125 °C[-67 – 257 °F]                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operation/Application                                                                                                 |                                                                                                                                                       |
| Circuit Application                                                                                                   | Signal                                                                                                                                                |
| Packaging Features                                                                                                    |                                                                                                                                                       |
| Packaging Method                                                                                                      | Package                                                                                                                                               |
| Product Compliance<br>For compliance documentation, visit the product page on TE.com><br>EU RoHS Directive 2011/65/EU | Not Compliant                                                                                                                                         |
| EU ELV Directive 2000/53/EC                                                                                           | Not Compliant                                                                                                                                         |
| China RoHS 2 Directive MIIT Order No 32, 2016                                                                         | Restricted Materials Above Threshold                                                                                                                  |
| EU REACH Regulation (EC) No. 1907/2006                                                                                | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JAN 2025<br>(247)<br>SVHC > Threshold:<br>Cd (100% in 10563731072) |

## 1218440-5

50 Position D-Shaped Connector, Plug, Cable-to-Board, Board Mount, 5 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



## Pb (3.7% in 74019106)

#### Article Safe Usage Statements:

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Low Halogen - contains Br or Cl > 900 ppm.

Wave solder capable to 265°C

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Customers Also Bought**



|                                | - <b>N</b>                | 111                          | 1                    |
|--------------------------------|---------------------------|------------------------------|----------------------|
|                                |                           |                              |                      |
| TE Part #796740-2              | TE Part #6-1437657-9      | TE Part #1-1617150-0         | TE Part #1-1721150-0 |
| 2 POS PCB MT 6.35MM HI CRT TBK | 8PCV-03-006=#8 TRIBARRIER | JMGSCD-26MW = M39016/42-052M | ORWH-SH-105D1F,000   |
|                                |                           |                              |                      |





## 1218440-5

50 Position D-Shaped Connector, Plug, Cable-to-Board, Board Mount, 5 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



# Documents

Product Drawings AMPLIMITE,ASY,PLUG,RT ANG,109,5

English

## **CAD** Files

**3D PDF** 3D

Customer View Model ENG\_CVM\_CVM\_1218440-5\_D\_c-1218440-5-d.2d\_dxf.zip English Customer View Model ENG\_CVM\_CVM\_1218440-5\_D\_c-1218440-5-d.3d\_igs.zip English Customer View Model ENG\_CVM\_CVM\_1218440-5\_D\_c-1218440-5-d.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.