



Terminals & Splices > Automotive Terminals > AMP MCP, RECEPTACLE AND TAB



Terminal Type: Receptacle

Wire Size: 20 – 17 AWG

Mating Tab Width: 1.5 mm [.059 in]

Interface Plating: Silver (Ag)

All AMP MCP, RECEPTACLE AND TAB (105)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Locking Lance
Sealable	Yes

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Typical Current Rating	12 A
Crimp Type	F-Crimp
Contact Size	1.5K
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Receptacle
Mating Tab Width	1.5 mm[.059 in]
Interface Plating	Silver (Ag)
Mating Tab Thickness	.6 mm[.024 in]

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Product Terminates To

Wire

Dimensions

Compatible Insulation Diameter Range	1.4 – 2.1 mm[.055 – .083 in]
Wire Size	20 – 17 AWG
Wire Size Search	.5 mm², .6 mm², .75 mm², 1 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[212 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Conforms to Automation Guideline	Yes, DIN 72036 Automation of Wiring Harness Production, Version June 2024, Yes, KOMAX Guideline for automatic component insertion for electrical connections, Version 5.0 (March 2018)

Industry Standards

Compatible With Agency/Standards Products	LV214
---	-------

Packaging Features

Packaging Method	Reel
Packaging Quantity	4500

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per



homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-AM705-CH8172 AMP MCP, SEALED CONNECTOR HOUSING	 TE Part # 5-2151064-2 OCEAN_2.0_APPLICATOR-S-070F125O-RSA	 TE Part # 2151064-1 OCEAN_2.0_APPLICATOR-S-070F125O-RSM	 TE Part # 2063524-1 SDE MCP1.5 0.2-1.0mm2 ASSY
 TE Part # 3-2151064-2 OCEAN_2.0_APPLICATOR-S-070F125OA-SSD	 TE Part # 2306960-1 3POS,AMP MCP 1.5K,REC HSG ASSY, SLD,COD A	 TE Part # 964972-1 EINZELLEITERDICHTNG	 TE Part # CAT-H3399-CH8172 Heavy Duty Sealed Connector Series Housings
 TE Part # CAT-NB3-MRC48 Mixed (Signal and Power) 48V Ready Connectors	 TE Part # 2385319-2 EXTRACTION TOOL	 TE Part # 5-2151064-1 OCEAN_2.0_APPLICATOR-S-070F125O-RSM	 TE Part # CAT-N10-RC4815 48V Ready 1.5mm Sealed Connectors



TE Part # 1-1579007-1
EXTRACTION TOOL




TE Part # 1579008-9
INSERTION TOOL



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 963530-1
EINZELLEITERDICHTNG



TE Part # 2497553-1
GAUGE,CHECK TAB FOR AMP MCP 1.5K CONTACT



TE Part # CAT-L489-CH8172
LEAVYSEAL Connector Housings



TE Part # 2151064-2
OCEAN_2.0_APPLICATOR-S-070F125O-RSA



TE Part # 1-1418479-1
8POS,AMP MCP1.5K,REC. HSG,CODA

Also in the Series | AMP MCP 1.5K



Automotive Connector Caps & Covers (3)



Automotive Housings(78)



Automotive Terminals(21)



Insertion & Extraction Tools(1)

Customers Also Bought



TE Part #1241608-6
MQS1,5 Ag rec CB unseal. 0,75-1,5



TE Part #963531-1
BLINDSTOPFEN



TE Part #1-1563759-1
18POS,AMP MCP1.5K,REC HSG,ASSY



TE Part #2-1703639-1
12POS,AMP MCP1.5K,REC HSG,ASSY




TE Part #964269-5
TAB A 1.6x0.6 CONTACT CF SWS Ag



TE Part #4-1333296-6
CRIMPER, WIRE LOOSE PC



TE Part #1-1418883-1
62.POS.MIXED REC.HSG



TE Part #1-879202-6
ANVIL



Documents

Product Drawings

AMP MCP 1.5K, CONTACT, SWS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1241380-3_B_c-1241380-3-b.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1241380-3_B_c-1241380-3-b.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1241380-3_B_c-1241380-3-b.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

German

Application Specification

English