



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **1 – 2.5 mm²**

Stud Size: **M6**

Stud Diameter: **6.3 mm [.248 in]**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M6
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	1 – 2.5 mm²
Stud Diameter	6.3 mm[.248 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	21.84 mm[.86 in]



Barrel Inside Diameter	2.15 mm[.085 in]
------------------------	------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



TE Part # 525693
DAHT SOLIS 22-10 ASSY

Customers Also Bought



TE Part #63301-1
250 FASTON TAB 22-15 AWG NPST



TE Part #4-2271290-0
CELLO,PIN,48P,TH,RA,FG,DIP3.0,CLIP



TE Part #61664-1
187 FASTON TAB TPBR



TE Part #61761-2
187 FASTON TAB TPBR



TE Part #T3100000002-000
REMOV-HEE

TE Part #ZPF000000000003845
745-8046-10



TE Part #ZPF000000000204474
983-1Y 10-05 PN-B790

TE Part #ZPF000000000003859
746-8000-10

TE Part #813562-SF
IL19-SE-H05-3150-200

TE Part #ZPF000000000000059
004-0062-12

Documents

Product Drawings
SOLIS R 16-14 M6

English

CAD Files
Customer View Model
ENG_CVM_CVM_130130_D.2d_dxf.zip

English



3D PDF

3D

Customer View Model

ENG_CVM_CVM_130130_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_130130_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOLISTRAND - QRG

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL

English