


PIDG

TE Internal #: 130521 Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG

View on TE.com >

Terminals & Splices > Spade Terminals



Spade Terminal Type: Spade Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: M2.5

Features

Product Type Features

Stud Size	M2.5
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Insulation Sleeve Color	Red
Stripe Color	Red
Contact Features	
Spade Terminal Type	Spade Tongue Terminal
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With



Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



Dimensions

Wire Size	509 – 3260 CMA
Stud Diameter	3.1 mm[.118 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	19.6 mm[.772 in]
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]
Compatible Insulation Diameter Range	1.98 – 3.18 mm[.078 – .125 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	1000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer This information is provided based on reasonable inquiry of our suppliers and	•

based on the information they provided. This information is subject to change. The part numbers that TE has identified as

Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







TE Part # 169404

CERTI-LOK DIE

Also in the Series | PIDG






C For support call+1 800 522 6752

Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



Customers Also Bought





TE Part #2-36149-5 TERMINAL,PIDG R IR 18 6



TE Part #207015-1

Documents

Product Drawings PIDG SPADE, 22-16 #4

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_130521_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_130521_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_130521_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

S For support call+1 800 522 6752

Spade Tongue Terminal, 22 – 16 AWG, M2.5 Stud, 3.1 mm [.118 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG

