




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 119500 – 150500 CMA

Stud Size: 5/16, M8

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	5/16, M8
Sealable	No

Wire Insulation Support Retention Type	Insulation Support
--	--------------------

Configuration Features

Number of Holes	1
-----------------	---

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Nickel

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	119500 – 150500 CMA
Stud Diameter	8.33 mm[.328 in]



Tongue Thickness	.79 mm[.031 in]
Product Length	51.44 mm[2.025 in]
Barrel Inside Diameter	12.8 mm[.504 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Nickel

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	50
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 600850
ROTO-CRIMP TOOL (ASI)

TE Part # 1490413-6
HYP10 SOLIS 2/0AWG NEST

TE Part # 48133
HYP8 SOLIS 2/0AWG NEST

TE Part # 1490414-3
HYP10 SOLIS HD 1/0AWG INDENTER

TE Part # 48131
HYP8 SOLIS 1/0-4/0AWG INDENTER

TE Part # 45439
HYP8/10 SOLIS 2/0AWG DIE SET

Customers Also Bought

TE Part #ZPF000000000017984
FDBA 50-12-10 SN-K 090 A499

TE Part #2-320577-2
TERMINAL,PIDG R IR 10 3/8

TE Part #ZPF000000000018686
FDBA 50-8-3A-SN-K 090 A499

TE Part #ZPF000000000033660
983-0SE 14-12 P8 L

TE Part #416169-000
55A0112-16-9

TE Part #ZPF000000000036963
983-6SE 14-12 S6 L

TE Part #ZPF000000000036956
983-6SE 14-12 P7 L

TE Part #ZPF000000000017948
FDBA 50-12-10 PN-K 090 A499



Documents

Product Drawings

[TERM, SOLIS, RT, 2/0, M8\(5/16\)](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_132074-2_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_132074-2_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_132074-2_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.