



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Number of Positions: 6

Primary Product Color: **Black**

Connector & Contact Retention Accessory Type: **Retainer**

Primary Product Material: **PBT GF10**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

Features

Product Type Features

Sealable	No
Connector & Contact Retention Accessory Type	Retainer

Configuration Features

Number of Positions	6
---------------------	---

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF10

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Box
Packaging Quantity	5008



Other

Serviceable	No
-------------	----

Product Compliance




For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 2354497-2 WH ASSY-AC 4Z AQS INLINE RHD</p>	 <p>TE Part # 2354497-1 WH ASSY-AC 4Z AQS INLINE LHD</p>	 <p>TE Part # CAT-M8793-CH8172 MQS, CONNECTOR HOUSING</p>
---	--	--

Customers Also Bought



TE Part #281871-3
5MM PITCH TAB/RECPT CONN

TE Part #2098963-1
30 WAY SHIELD ASSEMBLY, KEY AD

TE Part #2236046-8
32POS, MIXED, MALE CONN., CLIP2, COD B

TE Part #2236047-2
32POS,MIXED,RECEPTACLE CONNECTOR,COD B

TE Part #284322-1
12POS MQS REC

TE Part #281881-1
5MM PITCH TAB/RECPT CONTACT

TE Part #281991-2
HSG FOR P-LOCK MK I TERM

TE Part #174910-2
040 MLC PLUG HSG 20P

TE Part #223321-000
BL-POLY125-16-0-110MM

TE Part #2196060-1
1.5MM SER SEALED TAB TERMINAL

Documents

Product Drawings
MQS RETAINER

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_1355081-1_A.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_1355081-1_A.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_1355081-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications



Product Specification

English