




Connectors > Automotive Connectors > Automotive Housings > TH/.025 CONNECTOR SYSTEM, HOUSING



Number of Positions: 8

Connector & Housing Type: **Housing for Female Terminals**

Mating Tab Width: .64 mm [.025 in]

Connector System: **Wire-to-Board, Wire-to-Device, Wire-to-Wire**

Centerline (Pitch): 2.2 mm [.087 in]

[All TH/.025 Connector System, Housing \(168\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board, Wire-to-Device, Wire-to-Wire
Sealable	No
Primary Locking Feature	On the Terminal
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	8
Number of Rows	2

Electrical Characteristics

Operating Voltage	12 VDC
Nominal Voltage Architecture	12 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Natural



Contact Features

Contact Size	.64mm
Contact Type	Receptacle
Mating Tab Width	.64 mm[.025 in]

Mechanical Attachment

Strain Relief	Without
Terminal Position Assurance	Yes
Mating Alignment Type	Polarization
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT
Centerline (Pitch)	2.2 mm[.087 in]

Dimensions

Row-to-Row Spacing	5.6 mm[.22 in]
Product Width	11 mm[.433 in]
Product Length	21 mm[.827 in]
Connector Height	15.8 mm[.622 in]

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Other

Serviceable	Yes
Connector Position Assurance Capable	No



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-PFSMTH9264
Press-Fit & SMT Header



TE Part # CAT-T319-CH8172
TH/.025 CONNECTOR SYSTEM,
HOUSING




TE Part # CAT-T319-T273
TH/.025 CONNECTOR SYSTEM,
RECPT AND TAB



TE Part # 2237149-2
8POS,TAB0.64X0.64,HDR ASSY,
90DEG,SMD



TE Part # CAT-HPCH5372
High Pin Count Header



TE Part # 2237149-1
8POS,TAB0.64X0.64,HDR ASSY,
90DEG,SMD



TE Part # CAT-SIGH262
Signal Header

Also in the Series | 0.64/025 Connector System



Automotive Connector Caps & Covers
(5)



Automotive Connector Locks &
Position Assurance(1)



Automotive Headers(148)




Automotive Housings(117)



Connector Seals & Cavity Plugs(1)




Other Automotive Connector
Accessories(4)



PCB Headers & Receptacles(148)



Rectangular Power Connectors(21)




Wire-to-Board Headers & Receptacles
(148)

Customers Also Bought



TE Part #172890-4
4P 2MM MINI AMP-IN HDR HSG



TE Part #1123343-1
025 REC CONTACT




TE Part #1801177-3
3W TAB CONNECTOR HP GREY



TE Part #1544133-1
CLIP 6,35 NG1





TE Part #3-292173-2
CT BOX HDR H SMT 2P O/TAPE NAT

TE Part #2370499-1
USB,STD A,CABLE ASSY,2X28AWG - 2X20AWG

TE Part #2435029-1
USB,STDA,CABLE ASSY,2X28-2X20AWG YED LHD

TE Part #2370503-1
USB,STD A,CABLE ASSY,2X28AWG - 2X20AWG

TE Part #2389774-1
USB,STD A,CABLE ASSY,2X28AWG - 2X20AWG

TE Part #2370500-1
USB,STD A,CABLE ASSY,2X28AWG - 2X20AWG

Documents

Product Drawings

025 I/O PLUG HSG ASSY 8P

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1376352-1_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_1376352-1_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_1376352-1_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Crimping of 025 Receptacle Contact

Japanese

Application Specification

Japanese

Instruction Sheets

Instruction Sheet (non U.S.)

English



025(0.64)/375(9.5) HYBRID Connector

English

Instruction Sheet (non U.S.)

English

025(0.64)/375(9.5) HYBRID Connector

English

025 G Wire to Wire Connector

Japanese

Instruction Sheet (non U.S.)

Japanese

025 G Wire to Wire Connector

Japanese

Instruction Sheet (non U.S.)

Japanese

025(0.64)/187(4.8) I/O CONNECTOR

Japanese

Instruction Sheet (non U.S.)

Japanese

025(0.64)/187(4.8) I/O CONNECTOR

Japanese

Instruction Sheet (non U.S.)

Japanese

Instruction Sheet (non U.S.)

Japanese

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

Japanese