




TH/.025 Connector System

TE Internal #: 1379674-2

4 Position Housing, Housing for Male Terminals, Wire-to-Wire, 2.2 mm [.08 in] Centerline, Gray, Wire & Cable, Signal, TH/.025 Connector System

[View on TE.com >](#)

Connectors > Automotive Connectors > Automotive Housings > TH/.025 CONNECTOR SYSTEM, HOUSING



Number of Positions: 4

Connector & Housing Type: **Housing for Male Terminals**

Mating Tab Width: .64 mm [.02 in]

Connector System: **Wire-to-Wire**

Centerline (Pitch): 2.2 mm [.08 in]

[All TH/.025 CONNECTOR SYSTEM, HOUSING \(168\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	No
Primary Locking Feature	On the Terminal
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	4
Number of Rows	1

Electrical Characteristics

Operating Voltage	14 VDC
-------------------	--------

Body Features

Cable Exit Angle	180°
Primary Product Color	Gray
Connector & Keying Code	2



Contact Features

Contact Size	.64mm
Contact Type	Tab
Mating Tab Width	.64 mm[.02 in]

Mechanical Attachment

Strain Relief	Without
Terminal Position Assurance	Yes
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT
Centerline (Pitch)	2.2 mm[.08 in]

Dimensions

Product Width	33.4 mm[1.315 in]
Product Length	14 mm[.551 in]
Connector Height	11.75 mm[.463 in]

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Box
Packaging Quantity	100

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance



For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-T319-T273
TH/.025 CONNECTOR SYSTEM,
RECPT AND TAB



TE Part # 1379658-2
4W RCPT HSG CODING 2 GRAY

Also in the Series | [TH/.025 Connector System](#)




Automotive Connector Locks & Position Assurance(1)



Automotive Headers(5)



Automotive Housings(60)




Automotive Terminals(4)




Insertion & Extraction Tools(4)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(5)



Wire-to-Board Headers & Receptacles (5)

Customers Also Bought



TE Part #1-2291193-3
SMARTSEAL TERMINAL




TE Part #338096-1
MICRO-MATCH COSICNT



TE Part #2-691157-6
BLADE, SHEAR



TE Part #2236793-3
SMARTSEAL TERMINAL



TE Part #1674742-1
025 TH TAB CONTACT



TE Part #CAT-526SDL-SEALHS
Sealed Connector Housings: 2.5 mm,
Signal Double Lock



TE Part #9-1879512-5
CRGH0805 1% 82R 0.33W



TE Part #170140-1
187 FASTON,FLAG,REC.,16-20 AWG,
BR



TE Part #9-2176093-1
RP 2A 0.25W 90K9 0.1% 25PPM 1K RL

Documents



Product Drawings

4W TAB HSG CODING 2 GRAY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1379674-2_A_c-1379674-2-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1379674-2_A_c-1379674-2-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1379674-2_A_c-1379674-2-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Packaging specification for TH Tab en Plug (TH TES)

English

Instruction Sheets

Instruction Sheet (non U.S.)

English