




Terminals & Splices > Spade Terminals



Spade Terminal Type: **Spade Tongue Terminal**

Wire Size: **2048 – 4107 CMA**

Stud Size: **#8, M4**

Features

Product Type Features

Shape Description	Square Spade
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	.61 g
----------------	-------

Contact Features

Contact Base Material	Brass
Spade Terminal Type	Spade Tongue Terminal
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.102 in
Wire Size	2048 – 4107 CMA
Stud Diameter	4.3 mm [.169 in]
Tongue Thickness	.61 mm [.024 in]
Product Length	20.32 mm [.8 in]
Barrel Inside Diameter	1.65 mm, 2.79 mm [.065 in] [.11 in]
Compatible Insulation Diameter (Max)	3.99 mm [.157 in]
Compatible Insulation Diameter Range	2.6 – 4 mm [.102 – .157 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	5000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



KIT

REPRESENTATION ONLY

TE Part # 7-2150093-7

[OCEAN_2.0_SPARE_PART_KIT-130F155F](#)



TE Part # 2150093-2

[OCEAN_2.0_APPLICATOR-E-130F155F-REA](#)



TE Part # 61498-2


[SPADE 28-22 AWG .0157 X .310 TPBR](#)

Customers Also Bought



TE Part #626412-3

[187 FASTON FLAG REC 20-16 AWG BR](#)



TE Part #2-87195-1

[MOD IV RECP LP](#)




TE Part #323151

[DG 22-16COM 22-18MIL HR R 6](#)



TE Part #35274

[TERMINAL, PIDG R 16-14 14](#)



TE Part #444335-1

[250 FASTON REC 16-14 AWG BR](#)




TE Part #696427-1

[SPLICE BUTT PVF2 PIDG 22-16](#)




TE Part #880688-1

[FF 250 TERMINAL 0.5-1.0MM2 0.39 X13.2 BR](#)



TE Part #3-644460-6

[06P MTA156 CONN ASSY 18AWG ORA](#)



Documents

Product Drawings

WIRE TERMINAL 18-14 AWG 0.24 X .394 TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_140791-2_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_140791-2_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_140791-2_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

German

Agency Approvals

Agency Approval Document

English