




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**
Wire Size: **8226 – 12066 CMA**
Mating Tab Width: **6.35 mm [.25 in]**

Features

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Insulation Material	Nylon
---------------------	-------

Contact Features

Quick Disconnect Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	Compression Crimp
Barrel Type	Closed

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment



Wire Insulation Support	Without
-------------------------	---------

Dimensions

Product Length	28 mm[1.102 in]
Compatible Insulation Diameter Range	5.7 mm[.224 in]
Wire Size	8226 – 12066 CMA

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Packaging Features

Packaging Quantity	500
Packaging Method	Package

Other

Barrel Color	Yellow
--------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



TE Part # 2392022-1
BLUE BATTERY DAHT KIT 110V (47387-7)



TE Part # 2392022-2
BLUE BATTERY DAHT KIT 220V (47387-7)

Customers Also Bought



TE Part #322798
SOLIS R HR 22-16COM 22-18MIL 8



TE Part #710036-3
XCT 35-10




TE Part #66597-8
III+ PIN,18-14,TIN ,STRIP



TE Part #640907-1
RECEPT,PIDG FASTON 12-10 250




TE Part #320665
PG SPD 22-16 COMM 22-18 MIL 6



TE Part #321280
SPLICE,SOLIS BUTT 14-12




TE Part #66563-8
III+ SKT,24-20,30AU/FL,STRIP



TE Part #1761014-3
SFP 1X2 CAGE ASSY, PRESS FIT



TE Part #160294
PLASTI-GRIP, RING, 12-10 6MM



TE Part #3-640311-1
MINI AMP-IN 22-18 AWG .008PTPPHBZ

Documents

Product Drawings
TERMINAL TAB FASTON PIDG 6,35
English

CAD Files
3D PDF



English

Customer View Model

[ENG_CVM_141085-2_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_141085-2_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_141085-2_B.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_141085-2_E.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_141085-2_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_141085-2_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PIDG TERMINALS & SPLICES Quick Reference Guide](#)

English

Product Specifications

[Product Specification](#)

English