# 1410964-1 - ACTIVE

## MULTIGIG RT | MULTIGIG RT 2

TE Internal #: 1410964-1 135 Position High Speed Backplane Connector, 9 Row, 16 Column, PCB Mount Receptacle, Vertical, Unshrouded, 1.8 mm [.071 in] Centerline, MULTIGIG RT 2

#### View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Number of Positions: 135 Row-to-Row Spacing: 1.35 mm [.053 in] Mating Alignment: With Mating Alignment Type: Polarization Number of Rows: 9

## Features

## Product Type Features

Connector & Contact Terminates To

Compatible with PCB Type

Printed Circuit Board

Backplane

Connector System	Board-to-Board
PCB Connector Type	PCB Mount Receptacle
Shroud Style	Unshrouded
Configuration Features	
Backplane Architecture	Traditional Backplane
Card Slot Centerline	20.3 mm[.8 in]
Number of Positions	135
Number of Rows	9
Number of Columns	16
PCB Mount Orientation	Vertical
Guide Location	Center
Contact Features	
Contact Current Rating (Max)	1 A
Mechanical Attachment	
Mating Alignment	With

## 1410964-1

135 Position High Speed Backplane Connector, 9 Row, 16 Column, PCB Mount Receptacle, Vertical, Unshrouded, 1.8 mm [.071 in] Centerline, MULTIGIG RT 2



Mating Alignment Type	Polarization
Connector Mounting Type	Board Mount
Housing Features	
Number of Shrouded Sides	0
Centerline (Pitch)	1.8 mm[.071 in]
Dimensions	
Row-to-Row Spacing	1.35 mm[.053 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Not Compliant
FLL FLV Directive 2000/53/FC	Compliant with Exemptions

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

Compliant with Exemptions

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (13% in 4690948374) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on


## 1410964-1

135 Position High Speed Backplane Connector, 9 Row, 16 Column, PCB Mount Receptacle, Vertical, Unshrouded, 1.8 mm [.071 in] Centerline, MULTIGIG RT 2




requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


## **Compatible Parts**



# Also in the Series MULTIGIG RT 2




Customers Also Bought



## 1410964-1

135 Position High Speed Backplane Connector, 9 Row, 16 Column, PCB Mount Receptacle, Vertical, Unshrouded, 1.8 mm [.071 in] Centerline, MULTIGIG RT 2





## Documents

## Product Drawings MULTIGIG RT T2 .8" BP FULL CNT

English

### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_1410964-1\_A.2d\_dxf.zip

English

## 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1410964-1\_A.3d\_igs.zip

English

Customer View Model

## ENG\_CVM\_CVM\_1410964-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

High Speed Backplane Connectors catalog - MULTIGIG RT Connector

English

Product Specifications Application Specification

English