


SPLICE

TE Internal #: 1438254-1 Splice Accessory, 0 Serration, 7.62 mm [.3 in] Length, Strip, Open Barrel, Solid / Stranded Wire, Discrete Wire, Uninsulated, SPLICE

View on TE.com >

Terminals & Splices > Splices



Splice Type: Splice Accessory

Sealable: No

Compatible Insulation Diameter Range: 5.97 mm [.235 in]

Terminal Material Thickness: .51 mm [.02 in]

Number of Serrations: 0

Features

Product Type Features



Splice Type	Splice Accessory				
Sealable	No				
Compatible With Discrete Wire Type	Solid, Stranded				
Wire Insulation Support Retention Type	Insulation Support				
Configuration Features					
Number of Serrations	0				
Compatible With Wire & Cable Type	Discrete Wire				
Contact Features					
Barrel Type	Open				
Mechanical Attachment					
Wire Insulation Support	With				
Dimensions					
Compatible Insulation Diameter Range	5.97 mm[.235 in]				
Terminal Material Thickness	.51 mm[.02 in]				

1438254-1

Splice Accessory, 0 Serration, 7.62 mm [.3 in] Length, Strip, Open Barrel, Solid / Stranded Wire, Discrete Wire, Uninsulated, SPLICE



Product Length	7.62 mm[.3 in]				
Usage Conditions					
Insulation Option	Uninsulated				
Industry Standards					
Government Qualified Splice	No				
Packaging Features					
Packaging Quantity	15000				
Packaging Method	Strip				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC				

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | SPLICE

1438254-1

Splice Accessory, 0 Serration, 7.62 mm [.3 in] Length, Strip, Open Barrel, Solid / Stranded Wire, Discrete Wire, Uninsulated, SPLICE





Customers Also Bought



TE Part #CW3210-000	TE Part #4010894004	TE Part #5580594010	TE Part #5580584008

2022Y1422-9X-CS3400	VPB-2-1/2-0SPCS5444	VPB-3/4-0SPCS5444	VPB-1/2-0SPCS5444
TE Part #CP0579-000	TE Part #5580574004		
381A303-50-0-CS5327	VPB-3/8-0SPCS5444		

Documents

Product Drawings ID BAND .020 AL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1438254-1_D_c-1438254-1-d.2d_dxf.zip

1438254-1

Splice Accessory, 0 Serration, 7.62 mm [.3 in] Length, Strip, Open Barrel, Solid / Stranded Wire, Discrete Wire, Uninsulated, SPLICE



English Customer View Model ENG_CVM_CVM_1438254-1_D_c-1438254-1-d.3d_igs.zip English Customer View Model ENG_CVM_CVM_1438254-1_D_c-1438254-1-d.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.