



Terminals & Splices > Automotive Terminals > GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



Terminal Type: **Tab**

Wire Size: **20 – 18 AWG**

Mating Tab Width: **1 mm [.039 in]**

Interface Plating: **Tin (Sn)**

[All GET .64 Connector System, Recept and Tab \(24\)](#)

Features

Product Type Features

Primary Locking Feature	Clean Body
Sealable	No

Contact Features

Typical Current Rating	11 A
Crimp Type	F-Crimp
Contact Size	1mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Gold
Terminal Type	Tab
Mating Tab Width	1 mm[.039 in]
Interface Plating	Tin (Sn)
Mating Tab Thickness	.64 mm[.025 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Compatible Insulation Diameter Range	1.4 – 2.06 mm[.055 – .081 in]
--------------------------------------	-------------------------------



Wire Size	20 – 18 AWG
Wire Size Search	.5 mm², .6 mm², .75 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[212 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Compatible With Agency/Standards Products	SAE/USCAR-2, USCAR-21
---	-----------------------

Packaging Features

Packaging Method	Reel
Packaging Quantity	11000

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part





numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


 TE Part # 1411367-1 2X8 POS. GET MALE ASSY KEY A	 TE Part # 2151539-2 OCEAN-2.0-APPLICATOR-S-070F068SP-RSA	 TE Part # 2151539-1 OCEAN-2.0-APPLICATOR-S-070F068SP-RSM	 TE Part # 7-2151539-7 OCEAN_2.0_SPARE_PART_KIT-070F068SP
 TE Part # 1393366-1 V23540X7000Y 21=GET-FEM TERM S	 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	 TE Part # 3-2151539-2 OCEAN-2.0-APPLICATOR-S-070F068SP-RSD	

Also in the Series | Get .64 Connector System


 Automotive Connector Caps & Covers (5)	 Automotive Headers(3)	 Automotive Housings(87)	 Automotive Terminals(28)
 Insertion & Extraction Tools(1)	 PCB Headers & Receptacles(3)	 Wire-to-Board Headers & Receptacles (3)	

Customers Also Bought





TE Part #2-2310224-1
2POS,PCON12,HDR ASSY,COD A,S.V.



TE Part #537637P035
SCT-NO.3-E3-0-65MM



TE Part #2098634-1
Carrier, 20P, GY LAC, Black




TE Part #1-2208021-4
22POS,0.64 GENER. Y,REC HSG,ASSY



TE Part #7501716017
RBK-ILS-125-NR4-0-45MM




TE Part #3-2288260-0
48 POS MIXED REC HSG



TE Part #1393366-1
V23540X7000Y 21=GET-FEM TERM S



TE Part #5-1375583-4
05 MTE VERTICAL SMT HDR 30 AU



TE Part #3-2177515-2
32POS, MIXED,REC HSG,ASSY,
SEALED



TE Part #3-2177515-3
32POS, MIXED,REC HSG,ASSY,
SEALED

Documents

Product Drawings

GET MALE TERM, B, SN

English

CAD Files

Customer View Model

ENG_CVM_CVM_1438299-4_K.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1438299-4_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1438299-4_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



GET 0.64 Interconnection System

English

Product Specifications

Application Specification

English