1445692-4 ACTIVE

AMP | AMP Quadrax

TE Internal #: 1445692-4


Quadrax, Pin Contact, Wire & Cable, Straight, Gold (Au), 1 A,

Signal, -65 – 125 °C [-85 – 257 °F], AMP Quadrax

View on TE.com >



Connectors > Contacts > RF Contacts



RF Contact Style: Quadrax

Contact Type: Pin

Connector & Contact Terminates To: Wire & Cable

Contact Orientation: Straight

Compatible With RF Cable Type: Tensolite NF24Q100

Features

Product Type Features

Sealable	Yes
RF Contact Style	Quadrax
Connector & Contact Terminates To	Wire & Cable
Compatible With RF Cable Type	Tensolite NF24Q100

Electrical Characteristics

Impedance 100Ω	
------------------------	--

Body Features

Contact Removal Style	Rear Release/Rear Remove
-----------------------	--------------------------

Contact Features

Contact Base Material	Copper
Contact Length	31.37 mm[1.235 in]
Contact Type	Pin
Contact Orientation	Straight
Contact Mating Area Plating Material	Gold (Au)
Contact Current Rating (Max)	1 A

Termination Features

Termination Method to Wire & Cable	Hex Crimp
Terrimation Method to Mile & Cable	riex Chimp

Mechanical Attachment



Contact Retention Type Within Housing	Retention Clip
Usage Conditions	
Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
Operation/Application	
Circuit Application	Signal
Identification Marking	
Contact Color Code	None
Packaging Features	
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in 27519632265) Decamethylcyclopentasiloxane (D5) (.5% in 27519632265) Pb (3.7% in 74019106) Octamethylcyclotetrasiloxane (D4) (.5% in 27519632265) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part




numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | AMP Quadrax







Customers Also Bought



















TE Part #044965-E STVSKO H F 181 ABGE 40A * EP03 3,50 * FE TE Part #918367N001 SO63-3-9036-18CS2677

Documents

Product Drawings

ASY,PIN,QUADRAX

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1445692-4_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1445692-4_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1445692-4_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English