



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Number of Positions: 6

Number of Rows: 2

Contact Current Rating (Max): 3 A

Circuit Application: Signal

Operating Temperature Range: -65 – 105 °C [-85 – 221 °F]

Features

Configuration Features

Number of Positions	6
Number of Rows	2

Contact Features

Contact Current Rating (Max)	3 A
------------------------------	-----

Housing Features

Housing Material	PA 66
------------------	-------

Usage Conditions

Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-86177-8


06 MODIV HSG COMP DR .100CL

Customers Also Bought



TE Part #770581-1

12P MINI UMNL PLUG HSG



TE Part #9009734002

GPO-135-12.7/6.4-0-SP




TE Part #320882

PIDG R 22-16 COMM 22-18 MIL 4




TE Part #60851-1


250 FASTON REC 12-10 AWG TPBR




TE Part #929975-8
2,5MM SOCKET CONTACT SWS




TE Part #2-167301-2
MOD-4 REC.CONT.SCP



TE Part #1-180908-0
FF 250 TAB HSG 2P NYLON NAT



TE Part #166309-2
MOD-5 REC.CONTACT



TE Part #166309-3
MOD-5 REC.CONTACT



TE Part #4-539785-8
KLAPPOSITIONIERER

Documents

Product Drawings

COVER MODU IV 2X3 POS.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_144684-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_144684-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_144684-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English