TE Internal #: 1447009-7

C-Clip PCB Spring Contact, 3.5 mm [.138 in] Uncompressed Height, 4.5 mm [.177 in] Length, 2.5 mm [.098 in] Width, 2.5 mm [.098 in]

Working Range (Low)

View on TE.com >



Connectors > Contacts > PCB Spring Contacts



Spring Finger Type: C-Clip

Scalable: No

Side Protected: No

Uncompressed Height: 3.5 mm [.138 in]

=TE

Product Length: 4.5 mm [.177 in]

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
Spring Finger Type	C-Clip
Scalable	No

Configuration Features

Number of Positions	1
Side Protected	No

Contact Features

Contact Underplating Material	Nickel
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Gold
Contact Working Range (Low)	2.5 mm[.098 in]
Contact Working Range (Low) Contact Working Range (High)	2.5 mm[.098 in] 3 mm[.118 in]
Contact Working Range (High)	3 mm[.118 in]



Contact Current Rating (Max)	1.5 A
Dimensions	
Uncompressed Height	3.5 mm[.138 in]
Product Length	4.5 mm[.177 in]
Product Width	2.5 mm[.098 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Tape & Reel
Packaging Quantity	2000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



Customers Also Bought







TE Part #1-2106431-2 Connector, SMT-IDC PASS THRU, 2 POS, 20















Documents

Product Drawings
SHIELD FINGER 3525

English

CAD Files
3D PDF



3D

Customer View Model

ENG_CVM_CVM_1447009-7_99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1447009-7_99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1447009-7_99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

SHIELD FINGER 3525/3525-Z

English

Product Specification

English