



Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Connector Assembly**

Connector & Housing Type: **Receptacle**

Mating Alignment: **With**

Mating Alignment Type: **Polarization**

Mating Retention: **With**

Features

Product Type Features

Connector Product Type	Connector Assembly
Connector & Housing Type	Receptacle
Connector System	Wire-to-Panel, Wire-to-Wire
Sealable	No

Configuration Features

Contacts Preloaded	Yes
Number of Positions	4
Number of Rows	2

Electrical Characteristics

Operating Voltage	32 VDC
-------------------	--------

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

--	--



Contact Underplating Material	Nickel
Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Contact Retention Within Housing	Without
Contact Current Rating (Max)	3 A

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Panel Mount Feature Type	Locking Latch
Mating Alignment	With
Mating Alignment Type	Polarization
Mating Retention	With
Mating Retention Type	Latch
Connector Mounting Type	Panel Mount

Housing Features

Housing Material	Thermoplastic GF
Centerline (Pitch)	2 mm[.079 in]

Dimensions

Connector Width	22.5 mm[.885 in]
Row-to-Row Spacing	6.5 mm[.256 in]
Connector Height	30 mm[1.181 in]
Connector Length	15.8 mm[.622 in]

Usage Conditions

Operating Temperature Range	-30 – 75 °C[-22 – 167 °F]
-----------------------------	---------------------------

Operation/Application

Halogen Free	Yes
Shielded	No
Circuit Application	Signal

Identification Marking

Circuit Identification Feature	Without
--------------------------------	---------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------



Packaging Features

Packaging Method	Bag
Packaging Quantity	50

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1473562-4
RITS CONN. PLUG ASSY 4P YELLOW



TE Part # 1-2295044-4
RITS CONN. PLUG ASSY 4P RED TIN



TE Part # 4-1473562-4
RITS CONN. PLUG ASSY 4P GREEN



TE Part # 3-1473562-4
RITS CONN. PLUG ASSY 4P ORANGE





TE Part # 2-2295044-4
RITS CONN. PLUG ASSY 4P BLUE TIN




TE Part # 2-1473562-4
RITS CONN. PLUG ASSY 4P BLUE



TE Part # 1-1473562-4
RITS CONN. PLUG ASSY 4P RED

Also in the Series | RITS Junction Box Panel Mount or Free Hanging



Standard Rectangular Connectors(12)

Customers Also Bought



TE Part #1-1473562-4
RITS CONN. PLUG ASSY 4P RED



TE Part #2311770-1
AMPL REC, HD22, R/A, 44P, THREADED



TE Part #5-1473574-4
RITS.JUNCTION BOX 4D 4P F/H



TE Part #171825-3
POST HEADER ASSY EI SRS 3POS



TE Part #3-1473562-4
RITS CONN. PLUG ASSY 4P ORANGE




TE Part #1-1827875-0
DYNAMIC 1200D HDR ASSY V 20PXBLACK GOLD




TE Part #1473562-4
RITS CONN. PLUG ASSY 4P YELLOW



TE Part #1-1747414-3
DYNAMIC D4200 TAB HSG F/H 3P/X



TE Part #170429-1
EIS REC CONT 26-20 AWG BR TN



TE Part #2260862-4
F07 APF CABLE ASSY 2M



Documents

Product Drawings

RITS.JUNCTION BOX 4D 4P P/M

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1473574-4_P.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1473574-4_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1473574-4_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Remote Input Output Terminal System (RITS) Connectors

English

Product Specifications

Product Specification

Japanese

Instruction Sheets

Instruction Sheet (non U.S.)

Japanese

RITS Connector Interconnection System/e-CON Connector

Japanese

Agency Approvals

UL Report

English