
1474640-7 - ACTIVE

TE Internal #: 1474640-7 Wire-to-Board, 3 Position, 2.54 mm [.1 in] Centerline, 88.9 mm [3.5 in] Length, Printed Circuit Board, Power & Signal, Wire-to-Board Jumpers & Shunts

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Jumpers & Shunts



Connector System: Wire-to-Board

Number of Positions: 3

Centerline (Pitch): 2.54 mm [.1 in]

Product Length: 88.9 mm [3.5 in]

Connector & Contact Terminates To: Printed Circuit Board

Features

Product Type Features

Compatible With Discrete Wire Type	Solid	
Connector System	Wire-to-Board	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Number of Conductors	3	
Number of Rows	1	
Number of Positions	3	
Electrical Characteristics		
Operating Voltage	300 VAC	
Impedance	115 Ω	
Body Features		
Jumper Insulation Material	PTFE	
Contact Features		
Pin Arrangement (Right)	Z	

1474640-7

Wire-to-Board, 3 Position, 2.54 mm [.1 in] Centerline, 88.9 mm [3.5 in] Length, Printed Circuit Board, Power & Signal, Wire-to-Board Jumpers & Shunts



Pin Arrangement (Left)	Z
Contact Current Rating (Max)	3 A
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Wire Size	24 AWG
Product Length	88.9 mm[3.5 in]
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

1474640-7

Wire-to-Board, 3 Position, 2.54 mm [.1 in] Centerline, 88.9 mm [3.5 in] Length, Printed Circuit Board, Power & Signal, Wire-to-Board Jumpers & Shunts





Compatible Parts



Customers Also Bought



TE Part #8-1879208-2 CPF 0402 24K 0.1% 25PPM 1K RL	TE Part #292175-5 CT BOX HDR V SMT 5P O/TAPE NAT	TE Part #1-1879334-8 CPF 0603 3R01 1% 50PPM 1K RL	TE Part #234712-E STVR 96 MI ABC VVV 4-00 EE 6,0 * 247 E00
	TE		Contraction of the second seco
TE Part #CAT-472-Z12 Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm	TE Part #4-1879351-2 RR01 5% 150K AMMO	TE Part #5-146254-1 02 MODII HDR DRST B/A .100CL	TE Part #1-292227-5 1.5 MINI CT SGL H SMT W BOSS 1



1474640-7

Wire-to-Board, 3 Position, 2.54 mm [.1 in] Centerline, 88.9 mm [3.5 in] Length, Printed Circuit Board, Power & Signal, Wire-to-Board Jumpers & Shunts



Documents Product Drawings FSP-23.5Z-3 English Product Specifications Product Specification English Agency Approvals UL Report English