




TE Internal #: 1487596-3

USB 4-Position Plug, Type A to Type B Cable Assembly, Black

Cable, USB Type A Plug End A, USB Type B Plug End B, Double Ended, 24 AWG / 28 AWG

[View on TE.com >](#)

Cable Assemblies > Copper Cable Assemblies > Multimedia Cable Assemblies > USB Cable Assemblies



Cable Assembly Type: **USB 4-Position Plug, Type A to Type B**

Cable Color: **Black**

Cable Assembly (End A): **USB Type A Plug**

Cable Assembly (End B): **USB Type B Plug**

Cable Assembly Configuration: **Double Ended**

Features

Product Type Features

Cable Assembly Type	USB 4-Position Plug, Type A to Type B
Cable Assembly (End A)	USB Type A Plug
Cable Assembly (End B)	USB Type B Plug

Configuration Features

Number of Positions	4
---------------------	---

Body Features

Equalized	No
Cable Color	Black

Dimensions

Wire Size	24 AWG, 28 AWG
-----------	----------------

Operation/Application

Shielded	Yes
----------	-----

Other

Cable Assembly Configuration	Double Ended
------------------------------	--------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1487596-2
USB, A-B, 28/24, BLACK, 1.5M



TE Part # 1487588-2
USB, A-B, 28/24, WHITE, 1.5M




TE Part # 1487596-1
USB, A-B, 28/24, BLACK, 2.0M



TE Part # 1487588-3
USB, A-B, 28/24, WHITE, 1.8M

Customers Also Bought




TE Part #1-2267796-3
CA, MTE MOW-MOW, 4POS, 300mm
15Au, 24AWG



TE Part #193844-1
PIN ASSY. 14 AWG



TE Part #3-826652-2
32P AMPMODU II PIN HEADER



TE Part #770145-1
.093 COMM P&S PIN PTPBR LP





TE Part #1-2267795-3
CA, MTE FOW-FOW, 4POS, 300mm
15Au, 24AWG



TE Part #66682-4
PIN CONTACT, 20 DF




TE Part #1-2267795-5
CA, MTE FOW-FOW, 6POS, 300mm
15Au, 24AWG



TE Part #1-487117-1
RCPT CONTACT,HIGH PRESS,FFC



TE Part #2267796-5
CA, MTE MOW-MOW, 6POS, 75mm
15Au, 24AWG



TE Part #5-103634-5
06 MTE HDR SRRA LATCH.100CL LF

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1487596-3_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1487596-3_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1487596-3_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.