



Cable Assemblies > Copper Cable Assemblies > Multimedia Cable Assemblies > USB Cable Assemblies



Cable Assembly Type: USB Type A Pigtail

Cable Color: Black

Cable Assembly (End A): USB Type A Plug

Cable Assembly Configuration: Single Ended

Wire Size: 28 AWG

Features

Product Type Features

Cable Assembly Type	USB Type A Pigtail
Cable Assembly (End A)	USB Type A Plug

Configuration Features

Number of Positions	4
---------------------	---

Body Features

Equalized	No
Cable Color	Black

Dimensions

Wire Size	28 AWG
-----------	--------

Operation/Application

Shielded	Yes
----------	-----

Other

Cable Assembly Configuration	Single Ended
------------------------------	--------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # 1734366-1 Std USB Type A, VT, T/H	 TE Part # 1775690-2 Std USB Type A, VT, T/H, 2.5A	 TE Part # 1674459-4 Std USB Type A, R/A,T/H, Natural, HighDur	 TE Part # 292303-3 Std USB Type A, R/A, T/H, Natural
 TE Part # 292303-6 Std USB Type A, R/A, T/H	 TE Part # 292303-7 Std USB Type A, R/A, SMT, Offset, Natural	 TE Part # 292323-1 REC ASSY RIGHT ANGLE STACKED THRUHOLE US	 TE Part # 5787745-3 USB A R/A STAK ASSY THRU HOLE



 TE Part # 5787617-3 RECP ASSY, R/A, STACKED, THRU-HOLE, USB,	 TE Part # 5787617-4 RECP ASSY, R/A, STACKED, THRU-HOLE, USB,	 TE Part # 5787617-6 RECP ASSY, R/A, STACKED, THRU-HOLE, USB,	 TE Part # 5787617-8 RECP ASSY, R/A, STACKED, THRU-HOLE, USB,
 TE Part # 5353929-6 Std USB Type A, R/A, SMT, Offset, Panel	 TE Part # 1-1674429-1 Std USB Type A, R/A, SMT, Offset, Panel	 TE Part # 1775468-2 Dual Stack USB,G/F, w/o spring, R/A, DIP	 TE Part # 1-5353576-2 Std USB Type A, R/A, SMT, Offset, Panel
 TE Part # 1612243-1 Std USB Type A, R/A, SMT, Offset, Panel	 TE Part # 1-353576-1 Std USB Type A, R/A, SMT, Offset, Panel	 TE Part # 1-1674429-2 Std USB Type A, R/A, SMT, Offset, Panel	 TE Part # 353928-2 Std USB Type A, R/A, SMT, Offset, Panel

Customers Also Bought

 TE Part #5510060002 PD-CAP-1/2-0	 TE Part #1-2176230-8 3522 22R 5% 3W	 TE Part #35668 TERMINAL,SOLIS R 4 1/2	 TE Part #DT06-3S-E004 PLG, 3P, BLK, N
 TE Part #1-1437624-1 PKA50B1/8=KNOB PLASTIC 1/8 SHA	 TE Part #DT3S-BT-BK BOOT, 3P, PLG, ST, BLK	 TE Part #CAT-C339-A76B SMD Power Resistor: 3 Watt, 1% Tol	 TE Part #4-1393159-8 20C318=SPRING,HOLD-DOWN,K10,.0

Documents



Product Drawings

USB, A-BLUNT,28/28,BLK,0.83M

English

CAD Files

Customer View Model

ENG_CVM_CVM_1487599-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1487599-1_G.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1487599-1_G.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.