




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.51 – 1.31 mm²**

Mating Tab Width: **2.8 mm [.11 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Features

Product Type Features

Insertion Force	Normal
-----------------	--------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

--	--



Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Locking Lance

Dimensions

Product Length	15.37 mm[.605 in]
Compatible Insulation Diameter Range	2.01 – 3.1 mm[.079 – .122 in]
Terminal Material Thickness	.25 mm[.01 in]
Wire Size	.51 – 1.31 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Packaging Features

Packaging Quantity	10000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2150458-1
OCEAN_2.0_Applicator-E-070F110O-REM

KIT
REPRESENTATION ONLY

TE Part # 7-2150458-7
OCEAN_2.0_SPARE_PART_KIT-070F110O

TE Part # 160719-3
FASTIN FASTON (FF) TAB 20/16 AWG BR

TE Part # 737255-5
FF 110 REC 0.5-1.0MM2 TPBR

TE Part # 150571-2
FF 110 REC 0.2-0.56MM2 TPBR

Also in the Series | FASTIN-FASTON 110

Automotive Housings(6)


Automotive Terminals(5)

Crimp Terminal Housings(34)

Insertion & Extraction Tools(3)

Quick Disconnects(78)


Customers Also Bought



TE Part #185027-1
JPT F REC 2.8 Contact SWS Sn




TE Part #925015
FF 110 REC HSG 3P NYLON NAT



TE Part #185028-1
TAB F 2.8x0.8 CONTACT CS SWS Sn



TE Part #9-965382-2
8POS MQS REC COD Z




TE Part #1-962352-1
10P MESSERLEIS-GEH



TE Part #6776556004
RPPM-NR510-X-50MM




TE Part #917309-1
MINI MLC CONN. TAB CONT.



TE Part #1-1627087-0
RECEPTACLE, FLAG QC 4.8x0.8 (H25411)



TE Part #279328-1
MOTOR TERMINAL II



TE Part #925014
2 P FF 110(2.8 MM) HOUSING RECEPTACLE

Documents

Product Drawings

MINI FASTON 110 REC 20-16 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_150572-2_P_c-150572-2-p.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_150572-2_P_c-150572-2-p.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_150572-2_P_c-150572-2-p.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



1654742_HOUSEHOLD_APPLIANCES_RAST5

English