




Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Primary Product Color: **Black**

Connector & Contact Retention Accessory Type: **Retainer**

Primary Product Material: **PBT GF**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

Features

Product Type Features

Connector & Contact Retention Accessory Type	Retainer
--	----------

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Carton
Packaging Quantity	5000

Other

Serviceable	Yes
-------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	




Current ECHA Candidate List: JAN 2025  
(247)  
Candidate List Declared Against: JAN 2025  
(247)  
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-1534150-1  
4POS MQS REC COD A



TE Part # 2403054-1  
WIRING ASY-HVAC STANDARD  
VERSION LHD

Customers Also Bought



TE Part #CAT-T4827-T273  
TIMER, RECEPTACLE AND TAB



TE Part #965413-1  
6POS MQS REC



TE Part #2141828-1  
MQS0,63 Sn tab LL unseal. 0,13-0,17



TE Part #1534404-2  
MCP6.3 RECEP HSG4P





TE Part #2208833-1  
RETAINER, FOR NANOMQS

TE Part #1813337-2  
TEH-NO.3-0-50MM



TE Part #2364137-1  
52POS. MQS FEMALE, CONN KIT

TE Part #576108-000  
BL-POLY125-16-0-60MM



TE Part #1437710-5  
106025=CONN. 8W MALE TYPE 'G'

Documents

Product Drawings  
MQS RETAINER ,BLACK

English

CAD Files  
3D PDF

English

Customer View Model  
ENG\_CVM\_1534149-1\_A2.2d\_dxf.zip

English

Customer View Model  
ENG\_CVM\_1534149-1\_A2.3d\_igs.zip

English

Customer View Model  
ENG\_CVM\_1534149-1\_A2.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications  
Product Specification

English