1544317-1 ✓ ACTIVE

AMP | NG Power Terminals and Connectors, NG1

TE Internal #: 1544317-1

2 Position Housing, Housing for Female Terminals, Wire-to-Wire, 12 mm [.472 in] Centerline, Sealable, Black, Wire & Cable, Power,

Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Number of Positions: 2

Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 8 mm [.314 in]
Connector System: Wire-to-Wire
Centerline (Pitch): 12 mm [.472 in]

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	13 VDC
Nominal Voltage Architecture	13 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	Neutral

Contact Features



Contact Type Mating Tab Width Mechanical Attachment Strain Relief Terminal Position Assurance Mating Alignment Type Mating Alignment Connector Mounting Type Housing Features Housing Material	8mm Receptacle 8 mm[.314 in] Without Yes Keyed With Cable Mount (Free-Hanging) PBT 12 mm[.472 in]
Mating Tab Width Mechanical Attachment Strain Relief Terminal Position Assurance Mating Alignment Type Mating Alignment Connector Mounting Type Housing Features Housing Material	8 mm[.314 in] Without Yes Keyed With Cable Mount (Free-Hanging)
Mechanical Attachment Strain Relief V Terminal Position Assurance Mating Alignment Type Mating Alignment Connector Mounting Type Housing Features Housing Material	Without Yes Keyed With Cable Mount (Free-Hanging)
Strain Relief Terminal Position Assurance Mating Alignment Type Mating Alignment Connector Mounting Type Housing Features Housing Material	Yes Keyed With Cable Mount (Free-Hanging) PBT
Terminal Position Assurance Mating Alignment Type Mating Alignment Connector Mounting Type Housing Features Housing Material	Yes Keyed With Cable Mount (Free-Hanging) PBT
Mating Alignment Type Mating Alignment Connector Mounting Type Housing Features Housing Material	Keyed With Cable Mount (Free-Hanging) PBT
Mating Alignment Connector Mounting Type Housing Features Housing Material	With Cable Mount (Free-Hanging) PBT
Connector Mounting Type Housing Features Housing Material	Cable Mount (Free-Hanging) PBT
Housing Features Housing Material	PBT
Housing Material P	
	12 mm[.472 in]
Centerline (Pitch)	
Dimensions	
Product Width 2	29.8 mm[1.173 in]
Product Length 3	34.6 mm[1.362 in]
Connector Height 2	29.8 mm[1.173 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Circuit Application P	Power
Industry Standards	
IP Rating II	IP67
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity 7	750
Packaging Method E	Вох
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts















Also in the Series NG1




Automotive Connector Caps & Covers (3)




Automotive Housings(45)



Automotive Terminals(24)





Also in the Series | NG Power Terminals and Connectors



Automotive Connector Caps & Covers (3)



Automotive Housings(45)



Automotive Terminals(24)



Connector Seals & Cavity Plugs(9)



Insertion & Extraction Tools(13)



Customers Also Bought





TE Part #528878-000 2018E0309-0



TE Part #2005575-1 060/110/250 LIF 38P PLUG ASSY WHI









TE Part #1544606-1 TAB HOUSING, 8MM NG1, 1 WAY











ASSEMBLY

Documents

Product Drawings

PC 2V 8MM WP NG1 N

English

PC 2V 8MM WP NG1 N

English

PC 2V 8MM WP NG1 N

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1544317-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_1544317-1_F.3d_stp.zip

English

Customer View Model

2 Position Housing, Housing for Female Terminals, Wire-to-Wire, 12 mm [.472 in] Centerline, Sealable, Black, Wire & Cable, Power, Hybrid



ENG_CVM_1544317-1_F.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

Product Specification

French

Instruction Sheets

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

French