

#### Industrial RJ45 Variant 3

TE Internal #: 1546413-3

Circular RJ45 Connector, Single Port, Receptacle, Shielded, Cat 5e, Standard - Latch Down, 8 Position, PCB Ground, Signal, Industrial

RJ45 Variant 3
View on TE.com >

TE connectivity

Connectors > Modular Jacks & Plugs > RJ45 Connectors











Modular Jack & Plug Interface Type: Circular RJ45

Port Configuration: Single Port

Modular Jacks & Plugs Products: RJ Type Jacks & Plugs

Connector Contact Density: **Standard**Modular Connector Style: **Receptacle** 

#### **Features**

#### **Product Type Features**

Modular Jack & Plug Interface Type	Circular RJ45
Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Receptacle
Grounding Options	PCB Ground

### **Configuration Features**

Port Configuration	Single Port
Connector Contact Density	Standard
Number of Positions	8
Number of Loaded Positions	8

### **Body Features**

Modular Jack Latch Orientation	Standard - Latch Down
Contact Features	
Contact Current Rating (Max)	1.5 A
Contact Mating Area Plating Material	Gold (Au)



Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Housing Color	Black
Housing Material	Acrylonitrile-Butadiene-Styrene(ABS)
Usage Conditions	
Operating Temperature Range	-20 - 80 °C[-4 - 176 °F]
Operation/Application	
Indicator Type	No Indicator
Shielded	Yes
Circuit Application	Signal
Industry Standards	
IP Rating	IP67
Performance Category	Cat 5e
Packaging Features	
Packaging Quantity	1
Packaging Method	Package

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### Compatible Parts










## Also in the Series | Industrial RJ45 Variant 3





# **Customers Also Bought**























### **Documents**

### **Product Drawings**

ETHERNET RJ-45 BLKHD PASSTHRU

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1546413-3\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1546413-3\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1546413-3\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

INDUSTRIAL\_ETHERNET\_PRODUCTS

English